

Ballast Compatibility

T8 2ft LED Linear Lamp: Replaces 2FT T8/12 Lamps

Feit Electric Models:

- * T24/830/LEDG2
- * T24/840/LEDG2
- * T24/850/LEDG2
- * T24/841/LED
- * T24/850/LED

Do not use with pre-heat fixtures that require an external starter.

CAUTION: Do not use with Radionic E2324X-120M. Will cause lamp damage and failure.

	Manufacturer	Model	Type	Start	Construction
1	Philips Advance	ICN-2P32-N	T8	IS	Electronic
2	Philips Advance	ICN-4P32-N	T8	IS	Electronic
3	Philips Advance	IOPA-2P32-LW-N	T8	IS	Electronic
4	Philips Advance	IOPA-3P32-LW-N	T8	IS	Electronic
5	Philips Advance	IOPA-4P32-LW-N	T8	IS	Electronic
6	Philips Advance	IOPA-3P32HL-N	T8	IS	Electronic
7	Philips Advance	IOPA-1P32-N	T8	IS	Electronic
8	Philips Advance	IOPA-2P32-N	T8	IS	Electronic
9	Philips Advance	IOPA-3P32-N	T8	IS	Electronic
10	Philips Advance	IOPA-4P32-N	T8	IS	Electronic
11	Philips Advance	GOPA-1P32-SC	T8	IS	Electronic
12	Philips Advance	GOPA-3P32-SC	T8	IS	Electronic
13	Philips Advance	GOPA-4P32-SC	T8	IS	Electronic
14	Philips Advance	REB-2P32-SC	T8	IS	Electronic
15	Philips Advance	REB-4P32-SC	T8	IS	Electronic
16	Fulham Co., Inc	WHSG1-UNV-T8-IS	T8	IS	Electronic
17	Fulham Co., Inc	WHSG2-UNV-T8-IS	T8	IS	Electronic
18	ULT	B132IUNVHP-N	T8	IS	Electronic
19	ULT	B232IUNVHP-N	T8	IS	Electronic
20	ULT	B332IUNVHP-A	T8	IS	Electronic
21	ULT	B432IUNVHP-A	T8	IS	Electronic
22	GE	GE-132-MV-N	T8	IS	Electronic
23	GE	GE-232-MV-N	T8	IS	Electronic
24	GE	GE-332-MV-N	T8	IS	Electronic
25	GE	GE232MAX-N/Ultra	T8	IS	Electronic
26	GE	GE332MAX-N/Ultra	T8	IS	Electronic
27	GE	GE432MAX-N/Ultra	T8	IS	Electronic
28	GE	GE132MAX-H/Ultra	T8	IS	Electronic
29	GE	GE232MAX-H/Ultra	T8	IS	Electronic
30	GE	GE332MAX-H/Ultra	T8	IS	Electronic
31	GE	GE432MAX-H/Ultra	T8	IS	Electronic
32	GE	GE232MAX-L/Ultra	T8	IS	Electronic
33	GE	GE332MAX-L/Ultra	T8	IS	Electronic
34	GE	GE432MAX-L/Ultra	T8	IS	Electronic
35	GE	GE232MV-N-DIY	T8	IS	Electronic
36	GE	GE332MV-N-DIY	T8	IS	Electronic
37	GE	GE432MV-N-DIY	T8	IS	Electronic
38	Osram Sylvania	QHE 2x32T8/UNV ISL-SC	T8	IS	Electronic
39	Osram Sylvania	QHE 3x32T8/UNV ISL-SC	T8	IS	Electronic
40	Osram Sylvania	QHE 4x32T8/UNV ISL-SC	T8	IS	Electronic
41	Osram Sylvania	QHE 1x32T8/UNV ISN-SC	T8	IS	Electronic
42	Osram Sylvania	QHE 2x32T8/UNV ISN-SC	T8	IS	Electronic
43	Osram Sylvania	QHE 3x32T8/UNV ISN-SC	T8	IS	Electronic
44	Osram Sylvania	QHE 4x32T8/UNV ISN-SC	T8	IS	Electronic
45	Osram Sylvania	QHE 1x32T8/UNV ISH-SC	T8	IS	Electronic
46	Osram Sylvania	QHE 2x32T8/UNV ISH-SC	T8	IS	Electronic
47	Osram Sylvania	QHE 3x32T8/UNV ISH-SC	T8	IS	Electronic
48	Osram Sylvania	QHE 4x32T8/UNV ISH-SC	T8	IS	Electronic
49	Osram Sylvania	QTP 1x32T8/UNV ISN-SC	T8	IS	Electronic
50	Osram Sylvania	QTP 2x32T8/UNV ISN-SC	T8	IS	Electronic
51	Osram Sylvania	QTP 3x32T8/UNV ISN-SC	T8	IS	Electronic
52	Osram Sylvania	QTP 4x32T8/UNV ISN-SC	T8	IS	Electronic
53	Howard Industries	EP432S/MV/MC/HE	T8	IS	Electronic
54	Howard Industries	EP432S/MV/MC/HE	T8	IS	Electronic
55	Accupro	AP-232P-UNV-M	T8	IS	Electronic
56	Accupro	AP-332P-UNV-M	T8	IS	Electronic
57	Philips Advance	IOPA-1P32LW-N	T8	IS	Electronic
58	Philips Advance	IOPA-1P32HL-N	T8	IS	Electronic
59	Philips Advance	IOPA-2P32HL-N	T8	IS	Electronic
60	Philips Advance	IOPA-4P32HL-N	T8	IS	Electronic
61	Philips Advance	IOP-1P32HL-SC	T8	IS	Electronic
62	Philips Advance	IOP-2P32HL-SC	T8	IS	Electronic
63	Philips Advance	IOP-3P32HL-SC	T8	IS	Electronic
64	Philips Advance	IOP-4P32HL-SC	T8	IS	Electronic
65	Philips Advance	IOP-1P32-N-SC	T8	IS	Electronic
66	Philips Advance	IOP-2P32-N-SC	T8	IS	Electronic
67	Philips Advance	IOP-3P32-N-SC	T8	IS	Electronic
68	Philips Advance	IOP-4P32-N-SC	T8	IS	Electronic
69	Philips Advance	ICN-1P32-N	T8	IS	Electronic
70	Philips Advance	ICN-3P32-N	T8	IS	Electronic
71	Philips Advance	ICN-1P32-H	T8	IS	Electronic
72	Philips Advance	ICN-2P32-H	T8	IS	Electronic
73	Philips Advance	ICN-3P32-H	T8	IS	Electronic
74	Philips Advance	ICN-4P32-H	T8	IS	Electronic
75	Philips Advance	ICN-1P32-L	T8	IS	Electronic
76	Philips Advance	ICN-2P32-L	T8	IS	Electronic
77	Philips Advance	ICN-3P32-L	T8	IS	Electronic
78	Philips Advance	ICN-4P32-L	T8	IS	Electronic
79	Philips Advance	REL-2P32-SC	T8	IS	Electronic
80	Philips Advance	REL-3P32-SC	T8	IS	Electronic
81	Philips Advance	REL-2P32-RH-TP	T8	IS	Electronic
82	Philips Advance	VEL-2P32-SC	T8	IS	Electronic
83	Philips Advance	VEL-3P32-SC	T8	IS	Electronic
84	Philips Advance	REB-1P32-SC	T8	IS	Electronic
85	Philips Advance	REB-3P32-SC	T8	IS	Electronic
86	Philips Advance	GOPA-2P32-SC	T8	IS	Electronic
87	Philips Advance	REB-1P32-N	T8	IS	Electronic
88	Philips Advance	REB-2P32-N	T8	IS	Electronic
89	Philips Advance	REB-3P32-N	T8	IS	Electronic
90	Philips Advance	REB-4P32-N	T8	IS	Electronic
91	Fulham Co., Inc	WHSG3-UNV-T8-IS	T8	IS	Electronic
92	Fulham Co., Inc	WHSG4-UNV-T8-IS	T8	IS	Electronic
93	ULT	B132PUNVHE-B	T8	IS	Electronic
94	ULT	B232PUNVHE-B	T8	IS	Electronic
95	ULT	B332PUNVHE-B	T8	IS	Electronic
96	ULT	B432PUNVHE-B	T8	IS	Electronic
97	ULT	B232I277RH	T8	IS	Electronic
98	ULT	B332IUNVHP-N	T8	IS	Electronic
99	ULT	B432IUNVHP-N	T8	IS	Electronic
100	ULT	B132IUNVHP-A	T8	IS	Electronic
101	ULT	B232IUNVHP-A	T8	IS	Electronic
102	ULT	B132PUNVHE-B	T8	IS	Electronic
103	ULT	B232PUNVHE-B	T8	IS	Electronic
104	ULT	B332PUNVHE-B	T8	IS	Electronic
105	ULT	B432PUNVHE-B	T8	IS	Electronic
106	ULT	B132PUNVHE-A	T8	IS	Electronic
107	ULT	B232PUNVHE-A	T8	IS	Electronic
108	ULT	B332PUNVHE-A	T8	IS	Electronic
109	ULT	B432PUNVHE-A	T8	IS	Electronic
110	ULT	B432IUNVEL-A	T8	IS	Electronic
111	GE	GE132MV-N-DIY	T8	IS	Electronic
112	GE	GE-432-MV-N	T8	IS	Electronic
113	GE	GE132MAX-N/Ultra	T8	IS	Electronic
114	GE	GE132MAX-L/Ultra	T8	IS	Electronic
115	GE	GE-132-MV-H	T8	IS	Electronic
116	GE	GE-232-MV-H	T8	IS	Electronic
117	GE	GE-332-MV-H	T8	IS	Electronic
118	GE	GE-432-MV-H	T8	IS	Electronic
119	GE	GE-132-MV-L	T8	IS	Electronic
120	GE	GE-232-MV-L	T8	IS	Electronic
121	GE	GE-332-MV-L	T8	IS	Electronic

	Manufacturer	Model	Type	Start	Construction
1	GE	GEM220TS120/2-DIY ZL	T12	RS	Magnetic
2	Lumi-Kon	TB220-120-CP ZL	T12	RS	Magnetic
3	Philips Advance	RL-117-TP 120V 1L	T12	RS	Magnetic

Incompatible Ballasts

All Preheat Ballasts with External Starter			T12	Pre-Heat	Magnetic
1	Radionic	E2324X-120M	T12	RS	Magnetic
2	Universal	443-LR-VLH-TC-P	T12	RS	Magnetic
3	Philips Advance	IOP-2532-SC REV.A	T8	IS	Electronic
4	Philips Advance	ROP-2P32-LW-SC	T8	IS	Electronic
5	Philips Advance	ICN-4P32-SC	T8	IS	Electronic
6	Philips Advance	REB-2P32-N	T8	IS	Electronic
7	GE	GE132-N-347	T8	IS	Electronic
8	Accupro	AP-RC-332IP-120-1	T8	IS	Electronic
9	Accupro	AP-RC-332IP-120-1	T8	IS	Electronic
10	Accupro	AP-RC-432IP-120-1	T8	IS	Electronic

122	GE	GE-432-MV-L	T8	IS	Electronic
123	GE	GE-132-120-N	T8	IS	Electronic
124	GE	GE-232-120-N	T8	IS	Electronic
125	GE	GE-332-120-N	T8	IS	Electronic
126	GE	GE-432-120-N	T8	IS	Electronic
127	GE	GE132MAX-G-N	T8	IS	Electronic
128	GE	GE232MAX-G-N	T8	IS	Electronic
129	GE	GE332MAX-G-N	T8	IS	Electronic
130	GE	GE432MAX-G-N	T8	IS	Electronic
131	GE	GE132MAXP-NULTRA	T8	IS	Electronic
132	GE	GE232MAXP-NULTRA	T8	IS	Electronic
133	GE	GE332MAXP-NULTRA	T8	IS	Electronic
134	GE	GE432MAXP-NULTRA	T8	IS	Electronic
135	GE	GE132MAXP-LULTRA	T8	IS	Electronic
136	GE	GE232MAXP-LULTRA	T8	IS	Electronic
137	GE	GE332MAXP-LULTRA	T8	IS	Electronic
138	GE	GE432MAXP-LULTRA	T8	IS	Electronic
139	GE	GE132MAXP-HULTRA	T8	IS	Electronic
140	GE	GE232MAXP-HULTRA	T8	IS	Electronic
141	GE	GE332MAXP-HULTRA	T8	IS	Electronic
142	GE	GE432MAXP-HULTRA	T8	IS	Electronic
143	Osram Sylvania	QHE 1x32T8/UNV ISL-SC	T8	IS	Electronic
144	Osram Sylvania	QTP 1x32T8/UNV ISL-SC	T8	IS	Electronic
145	Osram Sylvania	QTP 2x32T8/UNV ISL-SC	T8	IS	Electronic
146	Osram Sylvania	QTP 3x32T8/UNV ISL-SC	T8	IS	Electronic
147	Osram Sylvania	QTP 4x32T8/UNV ISL-SC	T8	IS	Electronic
148	Osram Sylvania	QTP 1x32T8/UNV ISH-SC	T8	IS	Electronic
149	Osram Sylvania	QTP 2x32T8/UNV ISH-SC	T8	IS	Electronic
150	Osram Sylvania	QTP 3x32T8/UNV ISH-SC	T8	IS	Electronic
151	Osram Sylvania	QTP 4x32T8/UNV ISH-SC	T8	IS	Electronic
152	Howard Industries	EP132IS-120-277SC	T8	IS	Electronic
153	Howard Industries	EP232IS-120-277SC	T8	IS	Electronic
154	Howard Industries	EP332IS-120-277SC	T8	IS	Electronic
155	Howard Industries	EP432IS-120-277SC	T8	IS	Electronic
156	Howard Industries	E132IS-120SC	T8	IS	Electronic
157	Howard Industries	E232IS-120SC	T8	IS	Electronic
158	Howard Industries	E332IS-120SC	T8	IS	Electronic
159	Howard Industries	E432IS-120SC	T8	IS	Electronic
160	Howard Industries	E132IS-277SC	T8	IS	Electronic
161	Howard Industries	E232IS-277SC	T8	IS	Electronic
162	Howard Industries	SRE232W-120V	T8	IS	Electronic
163	Howard Industries	SRE332W-120V	T8	IS	Electronic
164	Howard Industries	SRE432W-120V	T8	IS	Electronic
165	Howard Industries	E332IS-277SC	T8	IS	Electronic
166	Howard Industries	E432IS-277SC	T8	IS	Electronic
167	Howard Industries	EP3/32IS/MV/MC/HE	T8	IS	Electronic
168	Howard Industries	EPL2/32IS/MV/SC/HE	T8	IS	Electronic
169	Howard Industries	EPL3/32IS/MV/SC/HE	T8	IS	Electronic
170	Howard Industries	EPL4/32IS/MV/SC/HE	T8	IS	Electronic
171	Accupro	AP-132IP-UNV-M	T8	IS	Electronic
172	Accupro	AP-432IP-UNV-M	T8	IS	Electronic
173	Triad	B132IUNVHP-N	T8	IS	Electronic
174	Triad	B232IUNVHP-N	T8	IS	Electronic
175	Triad	B332IUNVHP-N	T8	IS	Electronic
176	Triad	B432IUNVHP-N	T8	IS	Electronic
177	GE	GE-132-MV-PS-H	T8	PS	Electronic
178	GE	GE-232-MV-PS-H	T8	PS	Electronic
179	GE	GE-332-MV-PS-H	T8	PS	Electronic
180	GE	GE-432-MV-PS-H	T8	PS	Electronic
181	GE	GE132-MVPS-N	T8	PS	Electronic
182	GE	GE232-MVPS-N	T8	PS	Electronic
183	GE	GE332-MVPS-N	T8	PS	Electronic
184	GE	GE432-MVPS-N	T8	PS	Electronic
185	GE	GE-132-MV-PS-L	T8	PS	Electronic
186	GE	GE-232-MV-PS-L	T8	PS	Electronic
187	GE	GE-332-MV-PS-L	T8	PS	Electronic
188	GE	GE-432-MV-PS-L	T8	PS	Electronic
189	Osram Sylvania	QHE 1X32T8/UNV PSX-MC	T8	PS	Electronic
190	Osram Sylvania	QHE 2X32T8/UNV PSX-MC	T8	PS	Electronic
191	Osram Sylvania	QHE 2X32T8/UNV PSH-HT	T8	PS	Electronic
192	Osram Sylvania	QHE 4X32T8/UNV PSH-HT	T8	PS	Electronic
193	Philips Advance	IOP-1PSP32-N	T8	PS	Electronic
194	Philips Advance	IOP-2PSP32-N	T8	PS	Electronic
195	ULT	B232PUNVHEH-A	T8	PS	Electronic
196	ULT	B332PUNVHEH-A	T8	PS	Electronic
197	ULT	B232PUNVEL-B	T8	PS	Electronic
198	GE	GE-132-MV-PS-N	T8	PS	Electronic
199	GE	GE-232-MV-PS-N	T8	PS	Electronic
200	GE	GE-332-MV-PS-N	T8	PS	Electronic
201	GE	GE-432-MV-PS-N	T8	PS	Electronic
202	Osram Sylvania	QHE 1X32T8/UNV PSH-HT	T8	PS	Electronic
203	Osram Sylvania	QHE 3X32T8/UNV PSH-HT	T8	PS	Electronic
204	Osram Sylvania	QHE 3X32T8/UNV PSX-MC	T8	PS	Electronic
205	Osram Sylvania	QHE 1X32T8/UNV ISL-SC	T8	PS	Electronic
206	Osram Sylvania	QHE 2X32T8/UNV ISL-SC	T8	PS	Electronic
207	Osram Sylvania	QHE 3X32T8/UNV ISL-SC	T8	PS	Electronic
208	Osram Sylvania	QTP 1x32T8/UNV PSX-SC	T8	PS	Electronic
209	Osram Sylvania	QTP 2x32T8/UNV PSX-SC	T8	PS	Electronic
210	Osram Sylvania	QTP 3x32T8/UNV PSX-SC	T8	PS	Electronic
211	Osram Sylvania	QTP 1x32T8/UNV PSN-SC	T8	PS	Electronic
212	Osram Sylvania	QTP 2x32T8/UNV PSN-SC	T8	PS	Electronic
213	Osram Sylvania	QTP 3x32T8/UNV PSN-SC	T8	PS	Electronic
214	Philips Advance	REL-2S40-SC	T8	PS	Electronic
215	Philips Advance	VZT-2S32(Dimming)	T8	PS	Electronic
216	Philips Advance	IOP-1S32-SC REV.G	T8	PS	Electronic
217	Philips Advance	IOP-2S32-SCREV.G	T8	PS	Electronic
218	Philips Advance	IOP-3S32-SCREV.F	T8	PS	Electronic
219	ULT	B332PUNVEL-B	T8	PS	Electronic

T8 3ft LED Linear Lamp: Replaces 3FT T8/12 Lamps

Feit Electric Models:

- * T36/830/LEDG2
- * T36/840/LEDG2
- * T36/850/LEDG2

Do not use with pre-heat fixtures that require an external starter.

CAUTION: Do not use with Radionic E2324IX-120M. Will cause lamp damage and failure.

	Manufacturer	Model	Type	Start	Construction
1	Philips Advance	ICN-2P32-N	T8	IS	Electronic
2	Philips Advance	ICN-4P32-N	T8	IS	Electronic
3	Philips Advance	IOPA-2P32-LW-N	T8	IS	Electronic
4	Philips Advance	IOPA-3P32-LW-N	T8	IS	Electronic
5	Philips Advance	IOPA-4P32-LW-N	T8	IS	Electronic
6	Philips Advance	IOPA-3P32HL-N	T8	IS	Electronic
7	Philips Advance	IOPA-1P32-N	T8	IS	Electronic
8	Philips Advance	IOPA-2P32-N	T8	IS	Electronic
9	Philips Advance	IOPA-3P32-N	T8	IS	Electronic
10	Philips Advance	IOPA-4P32-N	T8	IS	Electronic
11	Philips Advance	GOPA-1P32-SC	T8	IS	Electronic
12	Philips Advance	GOPA-3P32-SC	T8	IS	Electronic
13	Philips Advance	GOPA-4P32-SC	T8	IS	Electronic
14	Philips Advance	REB-2P32-SC	T8	IS	Electronic
15	Philips Advance	REB-4P32-SC	T8	IS	Electronic
16	Fulham Co., Inc	WHSG1-UNV-T8-IS	T8	IS	Electronic
17	Fulham Co., Inc	WHSG2-UNV-T8-IS	T8	IS	Electronic
18	ULT	B132IUNVHP-N	T8	IS	Electronic
19	ULT	B232IUNVHP-N	T8	IS	Electronic
20	ULT	B332IUNVHP-A	T8	IS	Electronic
21	ULT	B432IUNVHP-A	T8	IS	Electronic
22	GE	GE-132-MV-N	T8	IS	Electronic
23	GE	GE-232-MV-N	T8	IS	Electronic
24	GE	GE-332-MV-N	T8	IS	Electronic
25	GE	GE232MAX-N/Ultra	T8	IS	Electronic
26	GE	GE332MAX-N/Ultra	T8	IS	Electronic
27	GE	GE432MAX-N/Ultra	T8	IS	Electronic
28	GE	GE132MAX-H/Ultra	T8	IS	Electronic
29	GE	GE232MAX-H/Ultra	T8	IS	Electronic
30	GE	GE332MAX-H/Ultra	T8	IS	Electronic
31	GE	GE432MAX-H/Ultra	T8	IS	Electronic
32	GE	GE232MAX-L/Ultra	T8	IS	Electronic
33	GE	GE332MAX-L/Ultra	T8	IS	Electronic
34	GE	GE432MAX-L/Ultra	T8	IS	Electronic
35	GE	GE232MV-N-DIY	T8	IS	Electronic
36	GE	GE332MV-N-DIY	T8	IS	Electronic
37	GE	GE432MV-N-DIY	T8	IS	Electronic
38	Osram Sylvania	QHE 2x32T8/UNV ISL-SC	T8	IS	Electronic
39	Osram Sylvania	QHE 3x32T8/UNV ISL-SC	T8	IS	Electronic
40	Osram Sylvania	QHE 4x32T8/UNV ISL-SC	T8	IS	Electronic
41	Osram Sylvania	QHE 1x32T8/UNV ISN-SC	T8	IS	Electronic
42	Osram Sylvania	QHE 2x32T8/UNV ISN-SC	T8	IS	Electronic
43	Osram Sylvania	QHE 3x32T8/UNV ISN-SC	T8	IS	Electronic
44	Osram Sylvania	QHE 4x32T8/UNV ISN-SC	T8	IS	Electronic
45	Osram Sylvania	QHE 1x32T8/UNV ISH-SC	T8	IS	Electronic
46	Osram Sylvania	QHE 2x32T8/UNV ISH-SC	T8	IS	Electronic
47	Osram Sylvania	QHE 3x32T8/UNV ISH-SC	T8	IS	Electronic
48	Osram Sylvania	QHE 4x32T8/UNV ISH-SC	T8	IS	Electronic
49	Osram Sylvania	QTP 1x32T8/UNV ISN-SC	T8	IS	Electronic
50	Osram Sylvania	QTP 2x32T8/UNV ISN-SC	T8	IS	Electronic
51	Osram Sylvania	QTP 3x32T8/UNV ISN-SC	T8	IS	Electronic
52	Osram Sylvania	QTP 4x32T8/UNV ISN-SC	T8	IS	Electronic
53	Howard Industries	EP2/32S/MV/MC/HE	T8	IS	Electronic
54	Howard Industries	EP4/32S/MV/MC/HE	T8	IS	Electronic
55	Accupro	AP-232IP-UNV-M	T8	IS	Electronic
56	Accupro	AP-332IP-UNV-M	T8	IS	Electronic
57	Philips Advance	IOPA-1P32LW-N	T8	IS	Electronic
58	Philips Advance	IOPA-1P32HL-N	T8	IS	Electronic
59	Philips Advance	IOPA-2P32HL-N	T8	IS	Electronic
60	Philips Advance	IOPA-4P32HL-N	T8	IS	Electronic
61	Philips Advance	IOP-1P32HL-SC	T8	IS	Electronic
62	Philips Advance	IOP-2P32HL-SC	T8	IS	Electronic
63	Philips Advance	IOP-3P32HL-SC	T8	IS	Electronic
64	Philips Advance	IOP-4P32HL-SC	T8	IS	Electronic
65	Philips Advance	IOP-1P32-N-SC	T8	IS	Electronic
66	Philips Advance	IOP-2P32-N-SC	T8	IS	Electronic
67	Philips Advance	IOP-3P32-N-SC	T8	IS	Electronic
68	Philips Advance	IOP-4P32-N-SC	T8	IS	Electronic
69	Philips Advance	ICN-1P32-N	T8	IS	Electronic
70	Philips Advance	ICN-3P32-N	T8	IS	Electronic
71	Philips Advance	ICN-1P32-H	T8	IS	Electronic
72	Philips Advance	ICN-2P32-H	T8	IS	Electronic
73	Philips Advance	ICN-3P32-H	T8	IS	Electronic
74	Philips Advance	ICN-4P32-H	T8	IS	Electronic
75	Philips Advance	ICN-1P32-L	T8	IS	Electronic
76	Philips Advance	ICN-2P32-L	T8	IS	Electronic
77	Philips Advance	ICN-3P32-L	T8	IS	Electronic
78	Philips Advance	ICN-4P32-L	T8	IS	Electronic
79	Philips Advance	REL-2P32-SC	T8	IS	Electronic
80	Philips Advance	REL-3P32-SC	T8	IS	Electronic
81	Philips Advance	REL-2P32-RH-TP	T8	IS	Electronic
82	Philips Advance	VEL-2P32-SC	T8	IS	Electronic
83	Philips Advance	VEL-3P32-SC	T8	IS	Electronic
84	Philips Advance	REB-1P32-SC	T8	IS	Electronic
85	Philips Advance	REB-3P32-SC	T8	IS	Electronic
86	Philips Advance	GOPA-2P32-SC	T8	IS	Electronic
87	Philips Advance	REB-1P32-N	T8	IS	Electronic
88	Philips Advance	REB-2P32-N	T8	IS	Electronic
89	Philips Advance	REB-3P32-N	T8	IS	Electronic
90	Philips Advance	REB-4P32-N	T8	IS	Electronic
91	Fulham Co., Inc	WHSG3-UNV-T8-IS	T8	IS	Electronic
92	Fulham Co., Inc	WHSG4-UNV-T8-IS	T8	IS	Electronic
93	ULT	B132PUNVHE-B	T8	IS	Electronic
94	ULT	B232PUNVHE-B	T8	IS	Electronic
95	ULT	B332PUNVHE-B	T8	IS	Electronic
96	ULT	B432PUNVHE-B	T8	IS	Electronic
97	ULT	B232I277RH	T8	IS	Electronic
98	ULT	B332IUNVHP-N	T8	IS	Electronic
99	ULT	B432IUNVHP-N	T8	IS	Electronic
100	ULT	B132IUNVHP-A	T8	IS	Electronic
101	ULT	B232IUNVHP-A	T8	IS	Electronic
102	ULT	B132PUNVHE-B	T8	IS	Electronic
103	ULT	B232PUNVHE-B	T8	IS	Electronic
104	ULT	B332PUNVHE-B	T8	IS	Electronic
105	ULT	B432PUNVHE-B	T8	IS	Electronic
106	ULT	B132PUNVHE-A	T8	IS	Electronic
107	ULT	B232PUNVHE-A	T8	IS	Electronic
108	ULT	B332PUNVHE-A	T8	IS	Electronic
109	ULT	B432PUNVHE-A	T8	IS	Electronic
110	ULT	B432IUNVEL-A	T8	IS	Electronic
111	GE	GE132MV-N-DIY	T8	IS	Electronic
112	GE	GE-432-MV-N	T8	IS	Electronic
113	GE	GE132MAX-N/Ultra	T8	IS	Electronic
114	GE	GE132MAX-L/Ultra	T8	IS	Electronic
115	GE	GE-132-MV-H	T8	IS	Electronic
116	GE	GE-232-MV-H	T8	IS	Electronic
117	GE	GE-332-MV-H	T8	IS	Electronic
118	GE	GE-432-MV-H	T8	IS	Electronic
119	GE	GE-132-MV-L	T8	IS	Electronic
120	GE	GE-232-MV-L	T8	IS	Electronic
121	GE	GE-332-MV-L	T8	IS	Electronic
122	GE	GE-432-MV-L	T8	IS	Electronic
123	GE	GE-132-120-N	T8	IS	Electronic
124	GE	GE-232-120-N	T8	IS	Electronic
125	GE	GE-332-120-N	T8	IS	Electronic

	Manufacturer	Model	Type	Start	Construction
1	Philips Advance	HM-1P30-TP 120V 1L	T12	RS	Magnetic
2	Philips Advance	HM-2SP20-TP 120V 2L	T12	RS	Magnetic
3	Philips Advance	R2SP30TP 120V 2L	T12	RS	Magnetic

Incompatible Ballasts

	All Preheat Ballasts with External Starter		T12	Pre-Heat	Magnetic
1	Radionic	E2324X-120M	T12	RS	Magnetic
2	Universal	443-LR-VLH-TC-P	T12	RS	Magnetic
3	Philips Advance	IOP-2S32-SC REV.A	T8	IS	Electronic
4	Philips Advance	ROP-2P32-LW-SC	T8	IS	Electronic
5	Philips Advance	ICN-4P32-SC	T8	IS	Electronic
6	Philips Advance	REB-2P32-N	T8	IS	Electronic
7	GE	GE132-N-347	T8	IS	Electronic
8	Accupro	AP-RC-232IP-120-1	T8	IS	Electronic
9	Accupro	AP-RC-332IP-120-1	T8	IS	Electronic
10	Accupro	AP-RC-432IP-120-1	T8	IS	Electronic

126	GE	GE-432-120-N	T8	IS	Electronic
127	GE	GE132MAX-G-N	T8	IS	Electronic
128	GE	GE232MAX-G-N	T8	IS	Electronic
129	GE	GE332MAX-G-N	T8	IS	Electronic
130	GE	GE432MAX-G-N	T8	IS	Electronic
131	GE	GE132MAXP-NULTRA	T8	IS	Electronic
132	GE	GE232MAXP-NULTRA	T8	IS	Electronic
133	GE	GE332MAXP-NULTRA	T8	IS	Electronic
134	GE	GE432MAXP-NULTRA	T8	IS	Electronic
135	GE	GE132MAXP-LULTRA	T8	IS	Electronic
136	GE	GE232MAXP-LULTRA	T8	IS	Electronic
137	GE	GE332MAXP-LULTRA	T8	IS	Electronic
138	GE	GE432MAXP-LULTRA	T8	IS	Electronic
139	GE	GE132MAXP-HULTRA	T8	IS	Electronic
140	GE	GE232MAXP-HULTRA	T8	IS	Electronic
141	GE	GE332MAXP-HULTRA	T8	IS	Electronic
142	GE	GE432MAXP-HULTRA	T8	IS	Electronic
143	Osram Sylvania	QHE 1x32T8/UNV ISL-SC	T8	IS	Electronic
144	Osram Sylvania	QTP 1x32T8/UNV ISL-SC	T8	IS	Electronic
145	Osram Sylvania	QTP 2x32T8/UNV ISL-SC	T8	IS	Electronic
146	Osram Sylvania	QTP 3x32T8/UNV ISL-SC	T8	IS	Electronic
147	Osram Sylvania	QTP 4x32T8/UNV ISL-SC	T8	IS	Electronic
148	Osram Sylvania	QTP 1x32T8/UNV ISH-SC	T8	IS	Electronic
149	Osram Sylvania	QTP 2x32T8/UNV ISH-SC	T8	IS	Electronic
150	Osram Sylvania	QTP 3x32T8/UNV ISH-SC	T8	IS	Electronic
151	Osram Sylvania	QTP 4x32T8/UNV ISH-SC	T8	IS	Electronic
152	Howard Industries	EP132IS-120-277SC	T8	IS	Electronic
153	Howard Industries	EP232IS-120-277SC	T8	IS	Electronic
154	Howard Industries	EP332IS-120-277SC	T8	IS	Electronic
155	Howard Industries	EP432IS-120-277SC	T8	IS	Electronic
156	Howard Industries	E132IS-120SC	T8	IS	Electronic
157	Howard Industries	E232IS-120SC	T8	IS	Electronic
158	Howard Industries	E332IS-120SC	T8	IS	Electronic
159	Howard Industries	E432IS-120SC	T8	IS	Electronic
160	Howard Industries	E132IS-277SC	T8	IS	Electronic
161	Howard Industries	E232IS-277SC	T8	IS	Electronic
162	Howard Industries	SRE232W-120V	T8	IS	Electronic
163	Howard Industries	SRE332W-120V	T8	IS	Electronic
164	Howard Industries	SRE432W-120V	T8	IS	Electronic
165	Howard Industries	E332IS-277SC	T8	IS	Electronic
166	Howard Industries	E432IS-277SC	T8	IS	Electronic
167	Howard Industries	EP332IS/MV/MC/HE	T8	IS	Electronic
168	Howard Industries	EPL232IS/MV/SC/HE	T8	IS	Electronic
169	Howard Industries	EPL332IS/MV/SC/HE	T8	IS	Electronic
170	Howard Industries	EPL432IS/MV/SC/HE	T8	IS	Electronic
171	Accupro	AP-132IP-UNV-M	T8	IS	Electronic
172	Accupro	AP-432IP-UNV-M	T8	IS	Electronic
173	Triad	B132IUNVHP-N	T8	IS	Electronic
174	Triad	B232IUNVHP-N	T8	IS	Electronic
175	Triad	B332IUNVHP-N	T8	IS	Electronic
176	Triad	B432IUNVHP-N	T8	IS	Electronic
177	GE	GE-132-MV-PS-H	T8	PS	Electronic
178	GE	GE-232-MV-PS-H	T8	PS	Electronic
179	GE	GE-332-MV-PS-H	T8	PS	Electronic
180	GE	GE-432-MV-PS-H	T8	PS	Electronic
181	GE	GE-132-MVPS-N	T8	PS	Electronic
182	GE	GE-232-MVPS-N	T8	PS	Electronic
183	GE	GE-332-MVPS-N	T8	PS	Electronic
184	GE	GE-432-MVPS-N	T8	PS	Electronic
185	GE	GE-132-MV-PS-L	T8	PS	Electronic
186	GE	GE-232-MV-PS-L	T8	PS	Electronic
187	GE	GE-332-MV-PS-L	T8	PS	Electronic
188	GE	GE-432-MV-PS-L	T8	PS	Electronic
189	Osram Sylvania	QHE 1X32T8/UNV PSX-MC	T8	PS	Electronic
190	Osram Sylvania	QHE 2X32T8/UNV PSX-MC	T8	PS	Electronic
191	Osram Sylvania	QHE 3X32T8/UNV PSX-MC	T8	PS	Electronic
192	Osram Sylvania	QHE 4X32T8/UNV PSX-MC	T8	PS	Electronic
193	Osram Sylvania	QHE 1X32T8/UNV PSH-HT	T8	PS	Electronic
194	Osram Sylvania	QHE 2X32T8/UNV PSH-HT	T8	PS	Electronic
195	Osram Sylvania	QHE 3X32T8/UNV PSH-HT	T8	PS	Electronic
196	Philips Advance	IOP-1PSP32-N	T8	PS	Electronic
197	Philips Advance	IOP-2PSP32-N	T8	PS	Electronic
198	ULT	B232PUNVHEH-A	T8	PS	Electronic
199	ULT	B332PUNVHEH-A	T8	PS	Electronic
200	ULT	B232PUNVEL-B	T8	PS	Electronic
201	GE	GE-132-MV-PS-N	T8	PS	Electronic
202	GE	GE-232-MV-PS-N	T8	PS	Electronic
203	GE	GE-332-MV-PS-N	T8	PS	Electronic
204	GE	GE-432-MV-PS-N	T8	PS	Electronic
205	Osram Sylvania	QHE 1X32T8/UNV PSH-HT	T8	PS	Electronic
206	Osram Sylvania	QHE 2X32T8/UNV PSH-HT	T8	PS	Electronic
207	Osram Sylvania	QHE 3X32T8/UNV PSH-HT	T8	PS	Electronic
208	Osram Sylvania	QHE 4X32T8/UNV PSH-HT	T8	PS	Electronic
209	Osram Sylvania	QHE 1X32T8/UNV ISL-SC	T8	PS	Electronic
210	Osram Sylvania	QHE 2X32T8/UNV ISL-SC	T8	PS	Electronic
211	Osram Sylvania	QHE 3X32T8/UNV ISL-SC	T8	PS	Electronic
212	Osram Sylvania	QHE 4X32T8/UNV ISL-SC	T8	PS	Electronic
213	Osram Sylvania	QTP 1x32T8/UNV PSX-SC	T8	PS	Electronic
214	Osram Sylvania	QTP 2x32T8/UNV PSX-SC	T8	PS	Electronic
215	Osram Sylvania	QTP 3x32T8/UNV PSX-SC	T8	PS	Electronic
216	Osram Sylvania	QTP 4x32T8/UNV PSX-SC	T8	PS	Electronic
217	Philips Advance	REL-2S40-SC	T8	PS	Electronic
218	Philips Advance	VZT-2S32(Dimming)	T8	PS	Electronic
219	Philips Advance	IOP-1S32-SC REV.G	T8	PS	Electronic
220	Philips Advance	IOP-2S32-SCREV.G	T8	PS	Electronic
221	Philips Advance	IOP-3S32-SCREV.F	T8	PS	Electronic
222	ULT	B332PUNVEL-B	T8	PS	Electronic

T8 4ft LED Linear Lamp: Replaces 4FT T8/12 Lamps

Feit Electric Models:

- * T48/830/LEDG2
- * T48/840/LED/2
- * T48/840/LEDG2
- * T48/850/LEDG2
- * T48/41K/LED/2
- * T48/840/LED/4
- * T48/840/12

Do not use with pre-heat fixtures that require an external starter.

CAUTION: Do not use with Radionic E2324IX-120M. Will cause lamp damage and failure. (current design)

	Manufacturer	Model	Type	Start	Construction
1	Philips Advance	ICN-2P32-N	T8	IS	Electronic
2	Philips Advance	ICN-4P32-N	T8	IS	Electronic
3	Philips Advance	IOPA-2P32-LW-N	T8	IS	Electronic
4	Philips Advance	IOPA-3P32-LW-N	T8	IS	Electronic
5	Philips Advance	IOPA-4P32-LW-N	T8	IS	Electronic
6	Philips Advance	IOPA-3P2HL-N	T8	IS	Electronic
7	Philips Advance	IOPA-1P32-N	T8	IS	Electronic
8	Philips Advance	IOPA-2P32-N	T8	IS	Electronic
9	Philips Advance	IOPA-3P32-N	T8	IS	Electronic
10	Philips Advance	IOPA-4P32-N	T8	IS	Electronic
11	Philips Advance	GOPA-1P32-SC	T8	IS	Electronic
12	Philips Advance	GOPA-3P32-SC	T8	IS	Electronic
13	Philips Advance	GOPA-4P32-SC	T8	IS	Electronic
14	Philips Advance	REB-2P32-SC	T8	IS	Electronic
15	Philips Advance	REB-4P32-SC	T8	IS	Electronic
16	Fulham Co., Inc	WHSG1-UNV-T8-IS	T8	IS	Electronic
17	Fulham Co., Inc	WHSG2-UNV-T8-IS	T8	IS	Electronic
18	ULT	B132UNVHP-N	T8	IS	Electronic
19	ULT	B232UNVHP-N	T8	IS	Electronic
20	ULT	B332UNVHP-A	T8	IS	Electronic
21	ULT	B432UNVHP-A	T8	IS	Electronic
22	GE	GE-132-MV-N	T8	IS	Electronic
23	GE	GE-232-MV-N	T8	IS	Electronic
24	GE	GE-332-MV-N	T8	IS	Electronic
25	GE	GE232MAX-N/Ultra	T8	IS	Electronic
26	GE	GE332MAX-N/Ultra	T8	IS	Electronic
27	GE	GE432MAX-N/Ultra	T8	IS	Electronic
28	GE	GE132MAX-H/Ultra	T8	IS	Electronic
29	GE	GE232MAX-H/Ultra	T8	IS	Electronic
30	GE	GE332MAX-H/Ultra	T8	IS	Electronic
31	GE	GE432MAX-H/Ultra	T8	IS	Electronic
32	GE	GE232MAX-L/Ultra	T8	IS	Electronic
33	GE	GE332MAX-L/Ultra	T8	IS	Electronic
34	GE	GE432MAX-L/Ultra	T8	IS	Electronic
35	GE	GE232MV-N-DIY	T8	IS	Electronic
36	GE	GE332MV-N-DIY	T8	IS	Electronic
37	GE	GE432MV-N-DIY	T8	IS	Electronic
38	Osram Sylvania	QHE 2x32T8/UNV ISL-SC	T8	IS	Electronic
39	Osram Sylvania	QHE 3x32T8/UNV ISL-SC	T8	IS	Electronic
40	Osram Sylvania	QHE 4x32T8/UNV ISL-SC	T8	IS	Electronic
41	Osram Sylvania	QHE 1x32T8/UNV ISN-SC	T8	IS	Electronic
42	Osram Sylvania	QHE 2x32T8/UNV ISN-SC	T8	IS	Electronic
43	Osram Sylvania	QHE 3x32T8/UNV ISN-SC	T8	IS	Electronic
44	Osram Sylvania	QHE 4x32T8/UNV ISN-SC	T8	IS	Electronic
45	Osram Sylvania	QHE 1x32T8/UNV ISH-SC	T8	IS	Electronic
46	Osram Sylvania	QHE 2x32T8/UNV ISH-SC	T8	IS	Electronic
47	Osram Sylvania	QHE 3x32T8/UNV ISH-SC	T8	IS	Electronic
48	Osram Sylvania	QHE 4x32T8/UNV ISH-SC	T8	IS	Electronic
49	Osram Sylvania	QTP 1x32T8/UNV ISN-SC	T8	IS	Electronic
50	Osram Sylvania	QTP 2x32T8/UNV ISN-SC	T8	IS	Electronic
51	Osram Sylvania	QTP 3x32T8/UNV ISN-SC	T8	IS	Electronic
52	Osram Sylvania	QTP 4x32T8/UNV ISN-SC	T8	IS	Electronic
53	Howard Industries	EP2/32IS/MV/MC/HE	T8	IS	Electronic
54	Howard Industries	EP4/32IS/MV/MC/HE	T8	IS	Electronic
55	Accupro	AP-232IP-UNV-M	T8	IS	Electronic
56	Accupro	AP-332IP-UNV-M	T8	IS	Electronic
57	Philips Advance	IOPA-1P32LWN	T8	IS	Electronic
58	Philips Advance	IOPA-1P32HL-N	T8	IS	Electronic
59	Philips Advance	IOPA-2P32HL-N	T8	IS	Electronic
60	Philips Advance	IOPA-4P32HL-N	T8	IS	Electronic
61	Philips Advance	IOP-1P32HL-SC	T8	IS	Electronic
62	Philips Advance	IOP-2P32HL-SC	T8	IS	Electronic
63	Philips Advance	IOP-3P32HL-SC	T8	IS	Electronic
64	Philips Advance	IOP-4P32HL-SC	T8	IS	Electronic
65	Philips Advance	IOP-1P32-N-SC	T8	IS	Electronic
66	Philips Advance	IOP-2P32-N-SC	T8	IS	Electronic
67	Philips Advance	IOP-3P32-N-SC	T8	IS	Electronic
68	Philips Advance	IOP-4P32-N-SC	T8	IS	Electronic
69	Philips Advance	ICN-1P32-N	T8	IS	Electronic
70	Philips Advance	ICN-3P32-N	T8	IS	Electronic
71	Philips Advance	ICN-1P32-H	T8	IS	Electronic
72	Philips Advance	ICN-2P32-H	T8	IS	Electronic
73	Philips Advance	ICN-3P32-H	T8	IS	Electronic
74	Philips Advance	ICN-4P32-H	T8	IS	Electronic
75	Philips Advance	ICN-1P32-L	T8	IS	Electronic
76	Philips Advance	ICN-2P32-L	T8	IS	Electronic
77	Philips Advance	ICN-3P32-L	T8	IS	Electronic
78	Philips Advance	ICN-4P32-L	T8	IS	Electronic
79	Philips Advance	REL-2P32-SC	T8	IS	Electronic
80	Philips Advance	REL-3P32-SC	T8	IS	Electronic
81	Philips Advance	REL-2P32-RH-TP	T8	IS	Electronic
82	Philips Advance	VEL-2P32-SC	T8	IS	Electronic
83	Philips Advance	VEL-3P32-SC	T8	IS	Electronic
84	Philips Advance	REB-1P32-SC	T8	IS	Electronic
85	Philips Advance	REB-3P32-SC	T8	IS	Electronic
86	Philips Advance	GOPA-2P32-SC	T8	IS	Electronic
87	Philips Advance	REB-1P32-N	T8	IS	Electronic
88	Philips Advance	REB-2P32-N	T8	IS	Electronic
89	Philips Advance	REB-3P32-N	T8	IS	Electronic
90	Philips Advance	REB-4P32-N	T8	IS	Electronic
91	Fulham Co., Inc	WHSG3-UNV-T8-IS	T8	IS	Electronic
92	Fulham Co., Inc	WHSG4-UNV-T8-IS	T8	IS	Electronic
93	ULT	B132PUNVHE-B	T8	IS	Electronic
94	ULT	B232PUNVHE-B	T8	IS	Electronic
95	ULT	B332PUNVHE-B	T8	IS	Electronic
96	ULT	B432PUNVHE-B	T8	IS	Electronic
97	ULT	B232I277RH	T8	IS	Electronic
98	ULT	B332IUNVHP-N	T8	IS	Electronic
99	ULT	B432IUNVHP-N	T8	IS	Electronic
100	ULT	B132IUNVHP-A	T8	IS	Electronic
101	ULT	B232IUNVHP-A	T8	IS	Electronic
102	ULT	B132PUNVHE-B	T8	IS	Electronic
103	ULT	B232PUNVHE-B	T8	IS	Electronic
104	ULT	B332PUNVHE-B	T8	IS	Electronic
105	ULT	B432PUNVHE-B	T8	IS	Electronic
106	ULT	B132PUNVHE-A	T8	IS	Electronic
107	ULT	B232PUNVHE-A	T8	IS	Electronic
108	ULT	B332PUNVHE-A	T8	IS	Electronic
109	ULT	B432PUNVHE-A	T8	IS	Electronic
110	ULT	B432IUNVEL-A	T8	IS	Electronic
111	GE	GE132MV-N-DIY	T8	IS	Electronic
112	GE	GE-432-MV-N	T8	IS	Electronic
113	GE	GE132MAX-N/Ultra	T8	IS	Electronic
114	GE	GE132MAX-L/Ultra	T8	IS	Electronic
115	GE	GE-132-MV-H	T8	IS	Electronic
116	GE	GE-232-MV-H	T8	IS	Electronic
117	GE	GE-332-MV-H	T8	IS	Electronic
118	GE	GE-432-MV-H	T8	IS	Electronic
119	GE	GE-132-MV-L	T8	IS	Electronic
120	GE	GE-232-MV-L	T8	IS	Electronic
121	GE	GE-332-MV-L	T8	IS	Electronic

	Manufacturer	Model	Type	Start	Construction
1	GE	GEM240RS277	T12	RS	Magnetic
2	GE	GEM240RS120	T12	RS	Magnetic
3	GE	GE240RS-277	T12	RS	Magnetic
4	GE	8G1022W	T12	RS	Magnetic
5	GE	GE240RS-120-P	T12	RS	Magnetic
6	Howard	M240 RS-120	T12	RS	Magnetic
7	Howard Industries	M140RS-120	T12	RS	Magnetic
8	Howard Industries	M240RS-277	T12	RS	Magnetic
9	Lumi-Kon	R240-120-CP	T12	RS	Magnetic
10	MagneTek	446-L-SLH-TC-P	T12	RS	Magnetic
11	MagneTek	443-L-SLH-TC-P	T12	RS	Magnetic
12	Osram Sylvania	MB1x40/277 RS-1	T12	RS	Magnetic
13	Osram Sylvania	MB2x40/277RS-1	T12	RS	Magnetic
14	Osram Sylvania	MB1x40/120RS-1	T12	RS	Magnetic
15	Osram Sylvania	MB2x40/120RS-1	T12	RS	Magnetic
16	Philips Advance	R-140-1-TP	T12	RS	Magnetic
17	Philips Advance	R-2540-1-TP	T12	RS	Magnetic
18	Philips Advance	ROM-2540-3-TP	T12	RS	Magnetic
19	Philips Advance	V-2S34-TP	T12	RS	Magnetic
20	Philips Advance	V-2540-1-TP	T12	RS	Magnetic
21	Philips Advance	V-2540-TP	T12	RS	Magnetic
22	Philips Advance	RL-1P32-TP	T12	RS	Magnetic
23	Philips Advance	413-C-TC-P	T12	RS	Magnetic
24	Philips Advance	RM-2S35-TP	T12	RS	Magnetic
25	Philips Advance	ICN-2S40-N	T12	RS	Magnetic
26	Philips Advance	ICN-2S40-L	T12	RS	Magnetic
27	Philips Advance	ICN-2S40-H	T12	RS	Magnetic
28	ULT	412-L-SLH-TC-P	T12	RS	Magnetic
29	ULT	443-L-SLH-TC-P	T12	RS	Magnetic
30	ULT	458-L-SLH-TC-P	T12	RS	Magnetic
31	ULT	446-L-SLH-TC-P	T12	RS	Magnetic
32	ULT	443-LR-VLH-TC-P 277V 2L	T12	RS	Magnetic
33	ULT	443-LN-TC-P	T12	RS	Magnetic
34	ULT	413-C-TC-P	T12	RS	Electronic
35	ULT	B234SR 120M-A	T12	RS	Electronic
36	Val Miser	8G1024W	T12	RS	Electronic
37	Val Miser	8G1024W	T12	RS	Electronic

Incompatible Ballasts

--	All Preheat Ballasts with External Starter	T12	Pre-Heat	Magnetic	
1	Radionic	E2324X-120M	T12	RS	Magnetic
2	Universal	443-LR-VLH-TC-P	T12	RS	Magnetic
3	Philips Advance	IOP-2S32-SC REV.A	T8	IS	Electronic
4	Philips Advance	ROP-2P32-LW-SC	T8	IS	Electronic
5	Philips Advance	ICN-4P32-SC	T8	IS	Electronic
6	Philips Advance	REB-2P32-N	T8	IS	Electronic
7	GE	GE132-N-347	T8	IS	Electronic
8	Accupro	AP-RC-232IP-120-1	T8	IS	Electronic
9	Accupro	AP-RC-332IP-120-1	T8	IS	Electronic
10	Accupro	AP-RC-432IP-120-1	T8	IS	Electronic

122	GE	GE-432-MV-L	T8	IS	Electronic
123	GE	GE-132-120-N	T8	IS	Electronic
124	GE	GE-232-120-N	T8	IS	Electronic
125	GE	GE-332-120-N	T8	IS	Electronic
126	GE	GE-432-120-N	T8	IS	Electronic
127	GE	GE132MAX-G-N	T8	IS	Electronic
128	GE	GE232MAX-G-N	T8	IS	Electronic
129	GE	GE332MAX-G-N	T8	IS	Electronic
130	GE	GE432MAX-G-N	T8	IS	Electronic
131	GE	GE132MAXP-NULTRA	T8	IS	Electronic
132	GE	GE232MAXP-NULTRA	T8	IS	Electronic
133	GE	GE332MAXP-NULTRA	T8	IS	Electronic
134	GE	GE432MAXP-NULTRA	T8	IS	Electronic
135	GE	GE132MAXP-LULTRA	T8	IS	Electronic
136	GE	GE232MAXP-LULTRA	T8	IS	Electronic
137	GE	GE332MAXP-LULTRA	T8	IS	Electronic
138	GE	GE432MAXP-LULTRA	T8	IS	Electronic
139	GE	GE132MAXP-HULTRA	T8	IS	Electronic
140	GE	GE232MAXP-HULTRA	T8	IS	Electronic
141	GE	GE332MAXP-HULTRA	T8	IS	Electronic
142	GE	GE432MAXP-HULTRA	T8	IS	Electronic
143	Osram Sylvania	QHE 1X32T8/UNV ISL-SC	T8	IS	Electronic
144	Osram Sylvania	QTP 1X32T8/UNV ISL-SC	T8	IS	Electronic
145	Osram Sylvania	QTP 2X32T8/UNV ISL-SC	T8	IS	Electronic
146	Osram Sylvania	QTP 3X32T8/UNV ISL-SC	T8	IS	Electronic
147	Osram Sylvania	QTP 4X32T8/UNV ISL-SC	T8	IS	Electronic
148	Osram Sylvania	QTP 1X32T8/UNV ISH-SC	T8	IS	Electronic
149	Osram Sylvania	QTP 2X32T8/UNV ISH-SC	T8	IS	Electronic
150	Osram Sylvania	QTP 3X32T8/UNV ISH-SC	T8	IS	Electronic
151	Osram Sylvania	QTP 4X32T8/UNV ISH-SC	T8	IS	Electronic
152	Howard Industries	EP132IS-120-277SC	T8	IS	Electronic
153	Howard Industries	EP232IS-120-277SC	T8	IS	Electronic
154	Howard Industries	EP332IS-120-277SC	T8	IS	Electronic
155	Howard Industries	EP432IS-120-277SC	T8	IS	Electronic
156	Howard Industries	E132IS-120SC	T8	IS	Electronic
157	Howard Industries	E232IS-120SC	T8	IS	Electronic
158	Howard Industries	E332IS-120SC	T8	IS	Electronic
159	Howard Industries	E432IS-120SC	T8	IS	Electronic
160	Howard Industries	E132IS-277SC	T8	IS	Electronic
161	Howard Industries	E232IS-277SC	T8	IS	Electronic
162	Howard Industries	SRE232W-120V	T8	IS	Electronic
163	Howard Industries	SRE332W-120V	T8	IS	Electronic
164	Howard Industries	SRE432W-120V	T8	IS	Electronic
165	Howard Industries	E332IS-277SC	T8	IS	Electronic
166	Howard Industries	E432IS-277SC	T8	IS	Electronic
167	Howard Industries	EP3/32IS/MV/MC/HE	T8	IS	Electronic
168	Howard Industries	EPL2/32IS/MV/SC/HE	T8	IS	Electronic
169	Howard Industries	EPL3/32IS/MV/SC/HE	T8	IS	Electronic
170	Howard Industries	EPL4/32IS/MV/SC/HE	T8	IS	Electronic
171	Accupro	AP-132IP-UNV-M	T8	IS	Electronic
172	Accupro	AP-432IP-UNV-M	T8	IS	Electronic
173	Triad	B132IUNVHP-N	T8	IS	Electronic
174	Triad	B232IUNVHP-N	T8	IS	Electronic
175	Triad	B332IUNVHP-N	T8	IS	Electronic
176	Triad	B432IUNVHP-N	T8	IS	Electronic
177	GE	GE-132-MV-PS-H	T8	PS	Electronic
178	GE	GE-232-MV-PS-H	T8	PS	Electronic
179	GE	GE-332-MV-PS-H	T8	PS	Electronic
180	GE	GE-432-MV-PS-H	T8	PS	Electronic
181	GE	GE132-MVPS-N	T8	PS	Electronic
182	GE	GE232-MVPS-N	T8	PS	Electronic
183	GE	GE332-MVPS-N	T8	PS	Electronic
184	GE	GE432-MVPS-N	T8	PS	Electronic
185	GE	GE-132-MV-PS-L	T8	PS	Electronic
186	GE	GE-232-MV-PS-L	T8	PS	Electronic
187	GE	GE-332-MV-PS-L	T8	PS	Electronic
188	GE	GE-432-MV-PS-L	T8	PS	Electronic
189	Osram Sylvania	QHE 1X32T8/UNV PSX-MC	T8	PS	Electronic
190	Osram Sylvania	QHE 2X32T8/UNV PSX-MC	T8	PS	Electronic
191	Osram Sylvania	QHE 2X32T8/UNV PSH-HT	T8	PS	Electronic
192	Osram Sylvania	QHE 4X32T8/UNV PSH-HT	T8	PS	Electronic
193	Philips Advance	IOP-1PSP32-N	T8	PS	Electronic
194	Philips Advance	IOP-2PSP32-N	T8	PS	Electronic
195	ULT	B232PUNV/HEH-A	T8	PS	Electronic
196	ULT	B332PUNV/HEH-A	T8	PS	Electronic
197	ULT	B232PUNV/VEL-B	T8	PS	Electronic
198	GE	GE-132-MV-PS-N	T8	PS	Electronic
199	GE	GE-232-MV-PS-N	T8	PS	Electronic
200	GE	GE-332-MV-PS-N	T8	PS	Electronic
201	GE	GE-432-MV-PS-N	T8	PS	Electronic
202	Osram Sylvania	QHE 1X32T8/UNV PSH-HT	T8	PS	Electronic
203	Osram Sylvania	QHE 3X32T8/UNV PSH-HT	T8	PS	Electronic
204	Osram Sylvania	QHE 3X32T8/UNV PSX-MC	T8	PS	Electronic
205	Osram Sylvania	QHE 1X32T8/UNV ISL-SC	T8	PS	Electronic
206	Osram Sylvania	QHE 2X32T8/UNV ISL-SC	T8	PS	Electronic
207	Osram Sylvania	QHE 3X32T8/UNV ISL-SC	T8	PS	Electronic
208	Osram Sylvania	QTP 1X32T8/UNV PSX-SC	T8	PS	Electronic
209	Osram Sylvania	QTP 2X32T8/UNV PSX-SC	T8	PS	Electronic
210	Osram Sylvania	QTP 3X32T8/UNV PSX-SC	T8	PS	Electronic
211	Osram Sylvania	QTP 1X32T8/UNV PSN-SC	T8	PS	Electronic
212	Osram Sylvania	QTP 2X32T8/UNV PSN-SC	T8	PS	Electronic
213	Osram Sylvania	QTP 3X32T8/UNV PSN-SC	T8	PS	Electronic
214	Philips Advance	REL-2S40-SC	T8	PS	Electronic
215	Philips Advance	VZT-2S32(Dimming)	T8	PS	Electronic
216	Philips Advance	IOP-1S32-SC REV.G	T8	PS	Electronic
217	Philips Advance	IOP-2S32-SCREV.G	T8	PS	Electronic
218	Philips Advance	IOP-3S32-SCREV.F	T8	PS	Electronic
219	ULT	B332PUNV/VEL-B	T8	PS	Electronic

T8 4ft LED Linear Lamp: Replaces 4FT T8/12 Lamps

Feit Electric Models:

- * T48/830/LEDG2
- * T48/840/LED/2
- * T48/840/LEDG2
- * T48/850/LEDG2
- * T48/41K/LED/2
- * T48/840/LED/4
- * T48/840/12

Do not use with pre-heat fixtures that require an external starter.

CAUTION: Do not use with Radionic E2324IX-120M. Will cause lamp damage and failure.

	Manufacturer	Model	Type	Start	Construction
1	Philips Advance	ICN-2P32-N	T8	IS	Electronic
2	Philips Advance	ICN-4P32-N	T8	IS	Electronic
3	Philips Advance	IOPA-2P32-LW-N	T8	IS	Electronic
4	Philips Advance	IOPA-3P32-LW-N	T8	IS	Electronic
5	Philips Advance	IOPA-4P32-LW-N	T8	IS	Electronic
6	Philips Advance	IOPA-3P32HL-N	T8	IS	Electronic
7	Philips Advance	IOPA-1P32-N	T8	IS	Electronic
8	Philips Advance	IOPA-2P32-N	T8	IS	Electronic
9	Philips Advance	IOPA-3P32-N	T8	IS	Electronic
10	Philips Advance	IOPA-4P32-N	T8	IS	Electronic
11	Philips Advance	GOPA-1P32-SC	T8	IS	Electronic
12	Philips Advance	GOPA-3P32-SC	T8	IS	Electronic
13	Philips Advance	GOPA-4P32-SC	T8	IS	Electronic
14	Philips Advance	REB-2P32-SC	T8	IS	Electronic
15	Philips Advance	REB-4P32-SC	T8	IS	Electronic
16	Fulham Co., Inc	WHSG1-UNV-T8-IS	T8	IS	Electronic
17	Fulham Co., Inc	WHSG2-UNV-T8-IS	T8	IS	Electronic
18	ULT	B132IUNVHP-N	T8	IS	Electronic
19	ULT	B232IUNVHP-N	T8	IS	Electronic
20	ULT	B332IUNVHP-A	T8	IS	Electronic
21	ULT	B432IUNVHP-A	T8	IS	Electronic
22	GE	GE-132-MV-N	T8	IS	Electronic
23	GE	GE-232-MV-N	T8	IS	Electronic
24	GE	GE-332-MV-N	T8	IS	Electronic
25	GE	GE232MAX-N/Ultra	T8	IS	Electronic
26	GE	GE332MAX-N/Ultra	T8	IS	Electronic
27	GE	GE432MAX-N/Ultra	T8	IS	Electronic
28	GE	GE132MAX-H/Ultra	T8	IS	Electronic
29	GE	GE232MAX-H/Ultra	T8	IS	Electronic
30	GE	GE332MAX-H/Ultra	T8	IS	Electronic
31	GE	GE432MAX-H/Ultra	T8	IS	Electronic
32	GE	GE232MAX-L/Ultra	T8	IS	Electronic
33	GE	GE332MAX-L/Ultra	T8	IS	Electronic
34	GE	GE432MAX-L/Ultra	T8	IS	Electronic
35	GE	GE232MV-N-DIY	T8	IS	Electronic
36	GE	GE332MV-N-DIY	T8	IS	Electronic
37	GE	GE432MV-N-DIY	T8	IS	Electronic
38	Osram Sylvania	QHE 2x32T8/UNV ISL-SC	T8	IS	Electronic
39	Osram Sylvania	QHE 3x32T8/UNV ISL-SC	T8	IS	Electronic
40	Osram Sylvania	QHE 4x32T8/UNV ISL-SC	T8	IS	Electronic
41	Osram Sylvania	QHE 1x32T8/UNV ISN-SC	T8	IS	Electronic
42	Osram Sylvania	QHE 2x32T8/UNV ISN-SC	T8	IS	Electronic
43	Osram Sylvania	QHE 3x32T8/UNV ISN-SC	T8	IS	Electronic
44	Osram Sylvania	QHE 4x32T8/UNV ISN-SC	T8	IS	Electronic
45	Osram Sylvania	QHE 1x32T8/UNV ISH-SC	T8	IS	Electronic
46	Osram Sylvania	QHE 2x32T8/UNV ISH-SC	T8	IS	Electronic
47	Osram Sylvania	QHE 3x32T8/UNV ISH-SC	T8	IS	Electronic
48	Osram Sylvania	QHE 4x32T8/UNV ISH-SC	T8	IS	Electronic
49	Osram Sylvania	QTP 1x32T8/UNV ISN-SC	T8	IS	Electronic
50	Osram Sylvania	QTP 2x32T8/UNV ISN-SC	T8	IS	Electronic
51	Osram Sylvania	QTP 3x32T8/UNV ISN-SC	T8	IS	Electronic
52	Osram Sylvania	QTP 4x32T8/UNV ISN-SC	T8	IS	Electronic
53	Howard Industries	EP2/32SMV/MC/HE	T8	IS	Electronic
54	Howard Industries	EP4/32SMV/MC/HE	T8	IS	Electronic
55	Accupro	AP-232IP-UNV-M	T8	IS	Electronic
56	Accupro	AP-332IP-UNV-M	T8	IS	Electronic
57	Philips Advance	IOPA-1P32LW-N	T8	IS	Electronic
58	Philips Advance	IOPA-1P32HL-N	T8	IS	Electronic
59	Philips Advance	IOPA-2P32HL-N	T8	IS	Electronic
60	Philips Advance	IOPA-4P32HL-N	T8	IS	Electronic
61	Philips Advance	IOP-1P32HL-SC	T8	IS	Electronic
62	Philips Advance	IOP-2P32HL-SC	T8	IS	Electronic
63	Philips Advance	IOP-3P32HL-SC	T8	IS	Electronic
64	Philips Advance	IOP-4P32HL-SC	T8	IS	Electronic
65	Philips Advance	IOP-1P32-N-SC	T8	IS	Electronic
66	Philips Advance	IOP-2P32-N-SC	T8	IS	Electronic
67	Philips Advance	IOP-3P32-N-SC	T8	IS	Electronic
68	Philips Advance	IOP-4P32-N-SC	T8	IS	Electronic
69	Philips Advance	ICN-1P32-N	T8	IS	Electronic
70	Philips Advance	ICN-3P32-N	T8	IS	Electronic
71	Philips Advance	ICN-1P32-H	T8	IS	Electronic
72	Philips Advance	ICN-2P32-H	T8	IS	Electronic
73	Philips Advance	ICN-3P32-H	T8	IS	Electronic
74	Philips Advance	ICN-4P32-H	T8	IS	Electronic
75	Philips Advance	ICN-1P32-L	T8	IS	Electronic
76	Philips Advance	ICN-2P32-L	T8	IS	Electronic
77	Philips Advance	ICN-3P32-L	T8	IS	Electronic
78	Philips Advance	ICN-4P32-L	T8	IS	Electronic
79	Philips Advance	REL-2P32-SC	T8	IS	Electronic
80	Philips Advance	REL-3P32-SC	T8	IS	Electronic
81	Philips Advance	REL-2P32-RH-TP	T8	IS	Electronic
82	Philips Advance	VEL-2P32-SC	T8	IS	Electronic
83	Philips Advance	VEL-3P32-SC	T8	IS	Electronic
84	Philips Advance	REB-1P32-SC	T8	IS	Electronic
85	Philips Advance	REB-3P32-SC	T8	IS	Electronic
86	Philips Advance	GOPA-2P32-SC	T8	IS	Electronic
87	Philips Advance	REB-1P32-N	T8	IS	Electronic
88	Philips Advance	REB-2P32-N	T8	IS	Electronic
89	Philips Advance	REB-3P32-N	T8	IS	Electronic
90	Philips Advance	REB-4P32-N	T8	IS	Electronic
91	Fulham Co., Inc	WHSG3-UNV-T8-IS	T8	IS	Electronic
92	Fulham Co., Inc	WHSG4-UNV-T8-IS	T8	IS	Electronic
93	ULT	B132PUNVHE-B	T8	IS	Electronic
94	ULT	B232PUNVHE-B	T8	IS	Electronic
95	ULT	B332PUNVHE-B	T8	IS	Electronic
96	ULT	B432PUNVHE-B	T8	IS	Electronic
97	ULT	B232I277RH	T8	IS	Electronic
98	ULT	B332IUNVHP-N	T8	IS	Electronic
99	ULT	B432IUNVHP-N	T8	IS	Electronic
100	ULT	B132IUNVHP-A	T8	IS	Electronic
101	ULT	B232IUNVHP-A	T8	IS	Electronic
102	ULT	B132PUNVHE-B	T8	IS	Electronic
103	ULT	B232PUNVHE-B	T8	IS	Electronic
104	ULT	B332PUNVHE-B	T8	IS	Electronic
105	ULT	B432PUNVHE-B	T8	IS	Electronic
106	ULT	B132PUNVHE-A	T8	IS	Electronic
107	ULT	B232PUNVHE-A	T8	IS	Electronic
108	ULT	B332PUNVHE-A	T8	IS	Electronic
109	ULT	B432PUNVHE-A	T8	IS	Electronic
110	ULT	B432IUNVEL-A	T8	IS	Electronic
111	GE	GE132MV-N-DIY	T8	IS	Electronic
112	GE	GE-432-MV-N	T8	IS	Electronic
113	GE	GE132MAX-N/Ultra	T8	IS	Electronic
114	GE	GE132MAX-L/Ultra	T8	IS	Electronic
115	GE	GE-132-MV-H	T8	IS	Electronic
116	GE	GE-232-MV-H	T8	IS	Electronic
117	GE	GE-332-MV-H	T8	IS	Electronic
118	GE	GE-432-MV-H	T8	IS	Electronic
119	GE	GE-132-MV-L	T8	IS	Electronic
120	GE	GE-232-MV-L	T8	IS	Electronic

	Manufacturer	Model	Type	Start	Construction
1	GE	GEM240RS277	T12	RS	Magnetic
2	GE	GEM240RS120	T12	RS	Magnetic
3	GE	GE240RS-277	T12	RS	Magnetic
4	GE	8G1022W	T12	RS	Magnetic
5	GE	GE240RS-120-P	T12	RS	Magnetic
6	Howard	M2/40 RS-120	T12	RS	Magnetic
7	Howard Industries	M1/40RS-120	T12	RS	Magnetic
8	Howard Industries	M2/40RS-277	T12	RS	Magnetic
9	Lumi-Kon	R240-120-CP	T12	RS	Magnetic
10	MagneTek	446-L-SLH-TC-P	T12	RS	Magnetic
11	MagneTek	443-L-SLH-TC-P	T12	RS	Magnetic
12	Osram Sylvania	MB1x40/277 RS-1	T12	RS	Magnetic
13	Osram Sylvania	MB2x40/277RS-1	T12	RS	Magnetic
14	Osram Sylvania	MB1x40/120RS-1	T12	RS	Magnetic
15	Osram Sylvania	MB2x40/120RS-1	T12	RS	Magnetic
16	Philips Advance	R-140-1-TP	T12	RS	Magnetic
17	Philips Advance	R-2540-1-TP	T12	RS	Magnetic
18	Philips Advance	RQM-2540-3-TP	T12	RS	Magnetic
19	Philips Advance	V-2S34-TP	T12	RS	Magnetic
20	Philips Advance	V-2S40-1-TP	T12	RS	Magnetic
21	Philips Advance	V-2S40-TP	T12	RS	Magnetic
22	Philips Advance	RL-1P32-TP	T12	RS	Magnetic
23	Philips Advance	413-C-TC-P	T12	RS	Magnetic
24	Philips Advance	RM-2S35-TP	T12	RS	Magnetic
25	Philips Advance	ICN-2S40-N	T12	RS	Magnetic
26	Philips Advance	ICN-2S40-L	T12	RS	Magnetic
27	Philips Advance	ICN-2S40-H	T12	RS	Magnetic
28	ULT	412-L-SLH-TC-P	T12	RS	Magnetic
29	ULT	443-L-SLH-TC-P	T12	RS	Magnetic
30	ULT	458-L-SLH-TC-P	T12	RS	Magnetic
31	ULT	446-L-SLH-TC-P	T12	RS	Magnetic
32	ULT	443-LR-VLH-TC-P 277V 2L	T12	RS	Magnetic
33	ULT	443-LN-TC-P	T12	RS	Magnetic
34	ULT	413-C-TC-P	T12	RS	Electronic
35	ULT	B234SR 120M-A	T12	RS	Electronic
36	Val Miser	8G1034W	T12	RS	Electronic
37	Val Miser	8G1024W	T12	RS	Electronic

Incompatible Ballasts

All Preheat Ballasts with External Starter			T12	Pre-Heat	Magnetic
1	Radionic	E2324X-120M	T12	RS	Magnetic
2	Universal	443-LR-VLH-TC-P	T12	RS	Magnetic
3	Philips Advance	IOP-2S32-SC REV.A	T8	IS	Electronic
4	Philips Advance	ROP-2P32-LW-SC	T8	IS	Electronic
5	Philips Advance	ICN-4P32-SC	T8	IS	Electronic
6	Philips Advance	REB-2P32-N	T8	IS	Electronic
7	GE	GE132-N-347	T8	IS	Electronic
8	Accupro	AP-RC-232IP-120-1	T8	IS	Electronic
9	Accupro	AP-RC-332IP-120-1	T8	IS	Electronic
10	Accupro	AP-RC-432IP-120-1	T8	IS	Electronic

121	GE	GE-332-MV-L	T8	IS	Electronic
122	GE	GE-432-MV-L	T8	IS	Electronic
123	GE	GE-132-120-N	T8	IS	Electronic
124	GE	GE-232-120-N	T8	IS	Electronic
125	GE	GE-332-120-N	T8	IS	Electronic
126	GE	GE-432-120-N	T8	IS	Electronic
127	GE	GE132MAX-G-N	T8	IS	Electronic
128	GE	GE232MAX-G-N	T8	IS	Electronic
129	GE	GE332MAX-G-N	T8	IS	Electronic
130	GE	GE432MAX-G-N	T8	IS	Electronic
131	GE	GE132MAXP-NULTRA	T8	IS	Electronic
132	GE	GE232MAXP-NULTRA	T8	IS	Electronic
133	GE	GE332MAXP-NULTRA	T8	IS	Electronic
134	GE	GE432MAXP-NULTRA	T8	IS	Electronic
135	GE	GE132MAXP-LULTRA	T8	IS	Electronic
136	GE	GE232MAXP-LULTRA	T8	IS	Electronic
137	GE	GE332MAXP-LULTRA	T8	IS	Electronic
138	GE	GE432MAXP-LULTRA	T8	IS	Electronic
139	GE	GE132MAXP-HULTRA	T8	IS	Electronic
140	GE	GE232MAXP-HULTRA	T8	IS	Electronic
141	GE	GE332MAXP-HULTRA	T8	IS	Electronic
142	GE	GE432MAXP-HULTRA	T8	IS	Electronic
143	Osram Sylvania	QHE 1x32T8/UNV ISL-SC	T8	IS	Electronic
144	Osram Sylvania	QTP 1x32T8/UNV ISL-SC	T8	IS	Electronic
145	Osram Sylvania	QTP 2x32T8/UNV ISL-SC	T8	IS	Electronic
146	Osram Sylvania	QTP 3x32T8/UNV ISL-SC	T8	IS	Electronic
147	Osram Sylvania	QTP 4x32T8/UNV ISL-SC	T8	IS	Electronic
148	Osram Sylvania	QTP 1x32T8/UNV ISH-SC	T8	IS	Electronic
149	Osram Sylvania	QTP 2x32T8/UNV ISH-SC	T8	IS	Electronic
150	Osram Sylvania	QTP 3x32T8/UNV ISH-SC	T8	IS	Electronic
151	Osram Sylvania	QTP 4x32T8/UNV ISH-SC	T8	IS	Electronic
152	Howard Industries	EP132IS-120-277SC	T8	IS	Electronic
153	Howard Industries	EP232IS-120-277SC	T8	IS	Electronic
154	Howard Industries	EP332IS-120-277SC	T8	IS	Electronic
155	Howard Industries	EP432IS-120-277SC	T8	IS	Electronic
156	Howard Industries	E132IS-120SC	T8	IS	Electronic
157	Howard Industries	E232IS-120SC	T8	IS	Electronic
158	Howard Industries	E332IS-120SC	T8	IS	Electronic
159	Howard Industries	E432IS-120SC	T8	IS	Electronic
160	Howard Industries	E132IS-277SC	T8	IS	Electronic
161	Howard Industries	E232IS-277SC	T8	IS	Electronic
162	Howard Industries	SRE232W-120V	T8	IS	Electronic
163	Howard Industries	SRE332W-120V	T8	IS	Electronic
164	Howard Industries	SRE432W-120V	T8	IS	Electronic
165	Howard Industries	E332IS-277SC	T8	IS	Electronic
166	Howard Industries	E432IS-277SC	T8	IS	Electronic
167	Howard Industries	EP332S/MV/MC/HE	T8	IS	Electronic
168	Howard Industries	EPL232IS/MV/SC/HE	T8	IS	Electronic
169	Howard Industries	EPL332IS/MV/SC/HE	T8	IS	Electronic
170	Howard Industries	EPL432IS/MV/SC/HE	T8	IS	Electronic
171	Accupro	AP-132IP-UNV-M	T8	IS	Electronic
172	Accupro	AP-432IP-UNV-M	T8	IS	Electronic
173	Triad	B132IUNVHP-N	T8	IS	Electronic
174	Triad	B232IUNVHP-N	T8	IS	Electronic
175	Triad	B332IUNVHP-N	T8	IS	Electronic
176	Triad	B432IUNVHP-N	T8	IS	Electronic
177	GE	GE-132-MV-PS-H	T8	PS	Electronic
178	GE	GE-232-MV-PS-H	T8	PS	Electronic
179	GE	GE-332-MV-PS-H	T8	PS	Electronic
180	GE	GE-432-MV-PS-H	T8	PS	Electronic
181	GE	GE132-MVPS-N	T8	PS	Electronic
182	GE	GE232-MVPS-N	T8	PS	Electronic
183	GE	GE332-MVPS-N	T8	PS	Electronic
184	GE	GE432-MVPS-N	T8	PS	Electronic
185	GE	GE-132-MV-PS-L	T8	PS	Electronic
186	GE	GE-232-MV-PS-L	T8	PS	Electronic
187	GE	GE-332-MV-PS-L	T8	PS	Electronic
188	GE	GE-432-MV-PS-L	T8	PS	Electronic
189	Osram Sylvania	QHE 1X32T8/UNV PSX-MC	T8	PS	Electronic
190	Osram Sylvania	QHE 2X32T8/UNV PSX-MC	T8	PS	Electronic
191	Osram Sylvania	QHE 2X32T8/UNV PSH-HT	T8	PS	Electronic
192	Osram Sylvania	QHE 4X32T8/UNV PSH-HT	T8	PS	Electronic
193	Philips Advance	IOP-1PSP32-N	T8	PS	Electronic
194	Philips Advance	IOP-2PSP32-N	T8	PS	Electronic
195	ULT	B232PUNVHEH-A	T8	PS	Electronic
196	ULT	B332PUNVHEH-A	T8	PS	Electronic
197	ULT	B232PUNVEL-B	T8	PS	Electronic
198	GE	GE-132-MV-PS-N	T8	PS	Electronic
199	GE	GE-232-MV-PS-N	T8	PS	Electronic
200	GE	GE-332-MV-PS-N	T8	PS	Electronic
201	GE	GE-432-MV-PS-N	T8	PS	Electronic
202	Osram Sylvania	QHE 1X32T8/UNV PSH-HT	T8	PS	Electronic
203	Osram Sylvania	QHE 3X32T8/UNV PSH-HT	T8	PS	Electronic
204	Osram Sylvania	QHE 3X32T8/UNV PSX-MC	T8	PS	Electronic
205	Osram Sylvania	QHE 1X32T8/UNV ISL-SC	T8	PS	Electronic
206	Osram Sylvania	QHE 2X32T8/UNV ISL-SC	T8	PS	Electronic
207	Osram Sylvania	QHE 3X32T8/UNV ISL-SC	T8	PS	Electronic
208	Osram Sylvania	QTP 1x32T8/UNV PSX-SC	T8	PS	Electronic
209	Osram Sylvania	QTP 2x32T8/UNV PSX-SC	T8	PS	Electronic
210	Osram Sylvania	QTP 3x32T8/UNV PSX-SC	T8	PS	Electronic
211	Osram Sylvania	QTP 1x32T8/UNV PSN-SC	T8	PS	Electronic
212	Osram Sylvania	QTP 2x32T8/UNV PSN-SC	T8	PS	Electronic
213	Osram Sylvania	QTP 3x32T8/UNV PSN-SC	T8	PS	Electronic
214	Philips Advance	REL-2S40-SC	T8	PS	Electronic
215	Philips Advance	VZT-2S32(Dimming)	T8	PS	Electronic
216	Philips Advance	IOP-1S32-SC REV.G	T8	PS	Electronic
217	Philips Advance	IOP-2S32-SCREV.G	T8	PS	Electronic
218	Philips Advance	IOP-3S32-SCREV.F	T8	PS	Electronic
219	ULT	B332PUNVEL-B	T8	PS	Electronic

T8 4ft LED Linear Lamp: Replaces 4FT T8/12 Lamps

Feit Electric Models:

* T48/GROW/FS/LEDG2

Do not use with pre-heat fixtures that require an external starter.

CAUTION: Do not use with Radionic E2324IX-120M. Will cause lamp damage and failure.

	Manufacturer	Model	Type	Start	Construction
1	Accupro	AP-232IP-UNV-M	T8	IS	Electronic
2	Accupro	AP-332IP-UNV-M	T8	IS	Electronic
3	Accupro	AP-132IP-UNV-M	T8	IS	Electronic
4	Accupro	AP-432IP-UNV-M	T8	IS	Electronic
5	Fulham Co., Inc	WHSG1-UNV-T8-IS	T8	IS	Electronic
6	Fulham Co., Inc	WHSG2-UNV-T8-IS	T8	IS	Electronic
7	Fulham Co., Inc	WHSG3-UNV-T8-IS	T8	IS	Electronic
8	Fulham Co., Inc	WHSG4-UNV-T8-IS	T8	IS	Electronic
9	GE	GE-132-MV-N	T8	IS	Electronic
10	GE	GE-232-MV-N	T8	IS	Electronic
11	GE	GE-332-MV-N	T8	IS	Electronic
12	GE	GE232MAX-N/Ultra	T8	IS	Electronic
13	GE	GE332MAX-N/Ultra	T8	IS	Electronic
14	GE	GE432MAX-N/Ultra	T8	IS	Electronic
15	GE	GE132MAX-H/Ultra	T8	IS	Electronic
16	GE	GE232MAX-H/Ultra	T8	IS	Electronic
17	GE	GE332MAX-H/Ultra	T8	IS	Electronic
18	GE	GE432MAX-H/Ultra	T8	IS	Electronic
19	GE	GE232MAX-L/Ultra	T8	IS	Electronic

	Manufacturer	Model	Type	Start	Construction
1	GE	GEM240RS277	T12	RS	Magnetic
2	GE	GEM240RS120	T12	RS	Magnetic
3	GE	GE240RS-277	T12	RS	Magnetic
4	GE	8G1022W	T12	RS	Magnetic
5	GE	GE240RS-120-P	T12	RS	Magnetic
6	Howard	M240 RS-120	T12	RS	Magnetic
7	Howard Industries	M140RS-120	T12	RS	Magnetic
8	Howard Industries	M240RS-277	T12	RS	Magnetic
9	Lumi-Kon	R240-120-CP	T12	RS	Magnetic
10	MagneTek	446-L-SLH-TC-P	T12	RS	Magnetic
11	MagneTek	443-L-SLH-TC-P	T12	RS	Magnetic
12	Osram Sylvania	MB1x40/277 RS-1	T12	RS	Magnetic
13	Osram Sylvania	MB2x40/277RS-1	T12	RS	Magnetic
14	Osram Sylvania	MB1x40/120RS-1	T12	RS	Magnetic
15	Osram Sylvania	MB2x40/120RS-1	T12	RS	Magnetic
16	Philips Advance	R-140-1-TP	T12	RS	Magnetic
17	Philips Advance	R-2540-1-TP	T12	RS	Magnetic
18	Philips Advance	RCM-2540-3-TP	T12	RS	Magnetic
19	Philips Advance	V-2S34-TP	T12	RS	Magnetic

20	GE	GE332MAX-L/Ultra	T8	IS	Electronic
21	GE	GE432MAX-L/Ultra	T8	IS	Electronic
22	GE	GE232MV-N-DIY	T8	IS	Electronic
23	GE	GE432MV-N-DIY	T8	IS	Electronic
24	GE	GE132MV-N-DIY	T8	IS	Electronic
25	GE	GE132MV-N-DIY	T8	IS	Electronic
26	GE	GE-432-MV-N	T8	IS	Electronic
27	GE	GE132MAX-N/Ultra	T8	IS	Electronic
28	GE	GE132MAX-L/Ultra	T8	IS	Electronic
29	GE	GE-132-MV-H	T8	IS	Electronic
30	GE	GE-232-MV-H	T8	IS	Electronic
31	GE	GE-332-MV-H	T8	IS	Electronic
32	GE	GE-432-MV-H	T8	IS	Electronic
33	GE	GE-132-MV-L	T8	IS	Electronic
34	GE	GE-232-MV-L	T8	IS	Electronic
35	GE	GE-332-MV-L	T8	IS	Electronic
36	GE	GE-432-MV-L	T8	IS	Electronic
37	GE	GE-132-120-N	T8	IS	Electronic
38	GE	GE-232-120-N	T8	IS	Electronic
39	GE	GE-332-120-N	T8	IS	Electronic
40	GE	GE-432-120-N	T8	IS	Electronic
41	GE	GE132MAX-G-N	T8	IS	Electronic
42	GE	GE232MAX-G-N	T8	IS	Electronic
43	GE	GE332MAX-G-N	T8	IS	Electronic
44	GE	GE432MAX-G-N	T8	IS	Electronic
45	GE	GE132MAXP-N/ULTRA	T8	IS	Electronic
46	GE	GE232MAXP-N/ULTRA	T8	IS	Electronic
47	GE	GE332MAXP-N/ULTRA	T8	IS	Electronic
48	GE	GE432MAXP-N/ULTRA	T8	IS	Electronic
49	GE	GE132MAXP-L/ULTRA	T8	IS	Electronic
50	GE	GE232MAXP-L/ULTRA	T8	IS	Electronic
51	GE	GE332MAXP-L/ULTRA	T8	IS	Electronic
52	GE	GE432MAXP-L/ULTRA	T8	IS	Electronic
53	GE	GE132MAXP-H/ULTRA	T8	IS	Electronic
54	GE	GE232MAXP-H/ULTRA	T8	IS	Electronic
55	GE	GE332MAXP-H/ULTRA	T8	IS	Electronic
56	GE	GE432MAXP-H/ULTRA	T8	IS	Electronic
57	GE	GE-132-MV-PS-H	T8	IS	Electronic
58	GE	GE-232-MV-PS-H	T8	IS	Electronic
59	GE	GE-332-MV-PS-H	T8	IS	Electronic
60	GE	GE-432-MV-PS-H	T8	IS	Electronic
61	GE	GE132-MVPS-N	T8	IS	Electronic
62	GE	GE232-MVPS-N	T8	IS	Electronic
63	GE	GE332-MVPS-N	T8	IS	Electronic
64	GE	GE432-MVPS-N	T8	IS	Electronic
65	GE	GE-132-MV-PS-L	T8	IS	Electronic
66	GE	GE-232-MV-PS-L	T8	IS	Electronic
67	GE	GE-332-MV-PS-L	T8	IS	Electronic
68	GE	GE-432-MV-PS-L	T8	IS	Electronic
69	GE	GE-132-MV-PS-N	T8	IS	Electronic
70	GE	GE-232-MV-PS-N	T8	IS	Electronic
71	GE	GE-332-MV-PS-N	T8	IS	Electronic
72	GE	GE-432-MV-PS-N	T8	IS	Electronic
73	Howard Industries	EP2/32S/MV/MC/HE	T8	IS	Electronic
74	Howard Industries	EP4/32S/MV/MC/HE	T8	IS	Electronic
75	Howard Industries	EP132IS-120-277SC	T8	IS	Electronic
76	Howard Industries	EP232IS-120-277SC	T8	IS	Electronic
77	Howard Industries	EP332IS-120-277SC	T8	IS	Electronic
78	Howard Industries	EP432IS-120-277SC	T8	IS	Electronic
79	Howard Industries	E132IS-120SC	T8	IS	Electronic
80	Howard Industries	E232IS-120SC	T8	IS	Electronic
81	Howard Industries	E332IS-120SC	T8	IS	Electronic
82	Howard Industries	E432IS-120SC	T8	IS	Electronic
83	Howard Industries	E132IS-277SC	T8	IS	Electronic
84	Howard Industries	E232IS-277SC	T8	IS	Electronic
85	Howard Industries	SRE232W-120V	T8	IS	Electronic
86	Howard Industries	SRE332W-120V	T8	IS	Electronic
87	Howard Industries	SRE432W-120V	T8	IS	Electronic
88	Howard Industries	E332IS-277SC	T8	IS	Electronic
89	Howard Industries	E432IS-277SC	T8	IS	Electronic
90	Howard Industries	EP3/32S/MV/MC/HE	T8	IS	Electronic
91	Howard Industries	EPL2/32S/MV/SC/HE	T8	IS	Electronic
92	Howard Industries	EPL3/32S/MV/SC/HE	T8	IS	Electronic
93	Howard Industries	EPL4/32S/MV/SC/HE	T8	IS	Electronic
94	Osram Sylvania	QHE 2x32T8/UNV ISL-SC	T8	IS	Electronic
95	Osram Sylvania	QHE 3x32T8/UNV ISL-SC	T8	IS	Electronic
96	Osram Sylvania	QHE 4x32T8/UNV ISL-SC	T8	IS	Electronic
97	Osram Sylvania	QHE 1x32T8/UNV ISN-SC	T8	IS	Electronic
98	Osram Sylvania	QHE 2x32T8/UNV ISN-SC	T8	IS	Electronic
99	Osram Sylvania	QHE 3x32T8/UNV ISN-SC	T8	IS	Electronic
100	Osram Sylvania	QHE 4x32T8/UNV ISN-SC	T8	IS	Electronic
101	Osram Sylvania	QHE 1x32T8/UNV ISH-SC	T8	IS	Electronic
102	Osram Sylvania	QHE 2x32T8/UNV ISH-SC	T8	IS	Electronic
103	Osram Sylvania	QHE 3x32T8/UNV ISH-SC	T8	IS	Electronic
104	Osram Sylvania	QHE 4x32T8/UNV ISH-SC	T8	IS	Electronic
105	Osram Sylvania	QTP 1x32T8/UNV ISN-SC	T8	IS	Electronic
106	Osram Sylvania	QTP 2x32T8/UNV ISN-SC	T8	IS	Electronic
107	Osram Sylvania	QTP 3x32T8/UNV ISN-SC	T8	IS	Electronic
108	Osram Sylvania	QTP 4x32T8/UNV ISN-SC	T8	IS	Electronic
109	Osram Sylvania	QHE 1x32T8/UNV ISL-SC	T8	IS	Electronic
110	Osram Sylvania	QTP 1x32T8/UNV ISL-SC	T8	IS	Electronic
111	Osram Sylvania	QTP 2x32T8/UNV ISL-SC	T8	IS	Electronic
112	Osram Sylvania	QTP 3x32T8/UNV ISL-SC	T8	IS	Electronic
113	Osram Sylvania	QTP 4x32T8/UNV ISL-SC	T8	IS	Electronic
114	Osram Sylvania	QTP 1x32T8/UNV ISH-SC	T8	IS	Electronic
115	Osram Sylvania	QTP 2x32T8/UNV ISH-SC	T8	IS	Electronic
116	Osram Sylvania	QTP 3x32T8/UNV ISH-SC	T8	IS	Electronic
117	Osram Sylvania	QTP 4x32T8/UNV ISH-SC	T8	IS	Electronic
118	Osram Sylvania	QHE 1X32T8/UNV PSX-MC	T8	IS	Electronic
119	Osram Sylvania	QHE 2X32T8/UNV PSX-MC	T8	IS	Electronic
120	Osram Sylvania	QHE 2X32T8/UNV PSH-HT	T8	IS	Electronic
121	Osram Sylvania	QHE 4X32T8/UNV PSH-HT	T8	IS	Electronic
122	Osram Sylvania	QHE 1X32T8/UNV PSH-HT	T8	IS	Electronic
123	Osram Sylvania	QHE 3X32T8/UNV PSH-HT	T8	IS	Electronic
124	Osram Sylvania	QHE 3X32T8/UNV PSX-MC	T8	IS	Electronic
125	Osram Sylvania	QHE 1X32T8/UNV ISL-SC	T8	IS	Electronic
126	Osram Sylvania	QHE 2X32T8/UNV ISL-SC	T8	IS	Electronic
127	Osram Sylvania	QHE 3X32T8/UNV ISL-SC	T8	IS	Electronic
128	Osram Sylvania	QTP 1x32T8/UNV PSX-SC	T8	IS	Electronic
129	Osram Sylvania	QTP 2x32T8/UNV PSX-SC	T8	IS	Electronic
130	Osram Sylvania	QTP 3x32T8/UNV PSX-SC	T8	IS	Electronic
131	Osram Sylvania	QTP 1x32T8/UNV PSN-SC	T8	IS	Electronic
132	Osram Sylvania	QTP 2x32T8/UNV PSN-SC	T8	IS	Electronic
133	Osram Sylvania	QTP 3x32T8/UNV PSN-SC	T8	IS	Electronic
134	Philips Advance	ICN-2P32-N	T8	IS	Electronic
135	Philips Advance	ICN-4P32-N	T8	IS	Electronic
136	Philips Advance	IOPA-2P32-LW-N	T8	IS	Electronic
137	Philips Advance	IOPA-3P32-LW-N	T8	IS	Electronic
138	Philips Advance	IOPA-4P32-LW-N	T8	IS	Electronic
139	Philips Advance	IOPA-3P32HL-N	T8	IS	Electronic
140	Philips Advance	IOPA-1P32-N	T8	IS	Electronic
141	Philips Advance	IOPA-2P32-N	T8	IS	Electronic
142	Philips Advance	IOPA-3P32-N	T8	IS	Electronic
143	Philips Advance	IOPA-4P32-N	T8	IS	Electronic
144	Philips Advance	GOPA-1P32-SC	T8	IS	Electronic
145	Philips Advance	GOPA-3P32-SC	T8	IS	Electronic
146	Philips Advance	GOPA-4P32-SC	T8	IS	Electronic
147	Philips Advance	REB-2P32-SC	T8	IS	Electronic
148	Philips Advance	REB-4P32-SC	T8	IS	Electronic
149	Philips Advance	IOPA-1P32LW-N	T8	IS	Electronic
150	Philips Advance	IOPA-1P32HL-N	T8	IS	Electronic
151	Philips Advance	IOPA-2P32HL-N	T8	IS	Electronic
152	Philips Advance	IOPA-4P32HL-N	T8	IS	Electronic
153	Philips Advance	IOP-1P32HL-SC	T8	IS	Electronic
154	Philips Advance	IOP-2P32HL-SC	T8	IS	Electronic
155	Philips Advance	IOP-3P32HL-SC	T8	IS	Electronic
156	Philips Advance	IOP-4P32HL-SC	T8	IS	Electronic
157	Philips Advance	IOP-1P32-N-SC	T8	IS	Electronic
158	Philips Advance	IOP-2P32-N-SC	T8	IS	Electronic
159	Philips Advance	IOP-3P32-N-SC	T8	IS	Electronic

20	Philips Advance	V-2S40-1-TP	T12	RS	Magnetic
21	Philips Advance	V-2S40-TP	T12	RS	Magnetic
22	Philips Advance	RL-1P32-TP	T12	RS	Magnetic
23	Philips Advance	413-C-TC-P	T12	RS	Magnetic
24	Philips Advance	RM-2S35-TP	T12	RS	Magnetic
25	ULT	412-L-SLH-TC-P	T12	RS	Magnetic
26	ULT	443-L-SLH-TC-P	T12	RS	Magnetic
27	ULT	458-L-SLH-TC-P	T12	RS	Magnetic
28	ULT	446-L-SLH-TC-P	T12	RS	Magnetic
29	ULT	443-LR-VLH-TC-P 277V 2L	T12	RS	Magnetic
30	ULT	443-LN-TC-P	T12	RS	Magnetic
31	ULT	413-C-TC-P	T12	RS	Magnetic
32	Val Miser	8G1034W	T12	RS	Magnetic
33	Val Miser	8G1024W	T12	RS	Magnetic

Incompatible Ballasts

All Preheat Ballasts with External Starter			T12	Pre-Heat	Magnetic
1	Radionic	E2324X-120M	T12	RS	Magnetic
2	Universal	443-LR-VLH-TC-P	T12	RS	Magnetic

160	Philips Advance	IOP-4P32-N-SC	T8	IS	Electronic
161	Philips Advance	ICN-1P32-N	T8	IS	Electronic
162	Philips Advance	ICN-3P32-N	T8	IS	Electronic
163	Philips Advance	ICN-1P32-H	T8	IS	Electronic
164	Philips Advance	ICN-2P32-H	T8	IS	Electronic
165	Philips Advance	ICN-3P32-H	T8	IS	Electronic
166	Philips Advance	ICN-4P32-H	T8	IS	Electronic
167	Philips Advance	ICN-1P32-L	T8	IS	Electronic
168	Philips Advance	ICN-2P32-L	T8	IS	Electronic
169	Philips Advance	ICN-3P32-L	T8	IS	Electronic
170	Philips Advance	ICN-4P32-L	T8	IS	Electronic
171	Philips Advance	REL-2P32-SC	T8	IS	Electronic
172	Philips Advance	REL-3P32-SC	T8	IS	Electronic
173	Philips Advance	REL-2P32-RH-TP	T8	IS	Electronic
174	Philips Advance	VEL-2P32-SC	T8	IS	Electronic
175	Philips Advance	VEL-3P32-SC	T8	IS	Electronic
176	Philips Advance	REB-1P32-SC	T8	IS	Electronic
178	Philips Advance	REB-3P32-SC	T8	PS	Electronic
	Philips Advance	GOPA-2P32-SC	T8	PS	Electronic
179	Philips Advance	REB-1P32-N	T8	PS	Electronic
180	Philips Advance	REB-2P32-N	T8	PS	Electronic
181	Philips Advance	REB-3P32-N	T8	PS	Electronic
182	Philips Advance	REB-4P32-N	T8	PS	Electronic
183	Philips Advance	IOP-1PSP32-N	T8	PS	Electronic
184	Philips Advance	IOP-2PSP32-N	T8	PS	Electronic
185	Philips Advance	REL-2S40-SC	T8	PS	Electronic
186	Philips Advance	VZT-2S32(Dimming)	T8	PS	Electronic
187	Philips Advance	IOP-1S32-SC REV.G	T8	PS	Electronic
188	Philips Advance	IOP-2S32-SCREV.G	T8	PS	Electronic
189	Philips Advance	IOP-3S32-SCREV.F	T8	PS	Electronic
190	Philips Advance	ICN-2S40-N	T12	PS	Electronic
191	Philips Advance	ICN-2S40-L	T12	PS	Electronic
192	Philips Advance	ICN-2S40-H	T12	PS	Electronic
193	Triad	B132IUNVHP-N	T8	PS	Electronic
194	Triad	B232IUNVHP-N	T8	PS	Electronic
195	Triad	B332IUNVHP-N	T8	PS	Electronic
196	Triad	B432IUNVHP-N	T8	PS	Electronic
197	ULT	B132IUNVHP-N	T8	PS	Electronic
198	ULT	B232IUNVHP-N	T8	PS	Electronic
199	ULT	B332IUNVHP-A	T8	PS	Electronic
200	ULT	B432IUNVHP-A	T8	PS	Electronic
201	ULT	B132PUNVHE-B	T8	PS	Electronic
202	ULT	B232PUNVHE-B	T8	PS	Electronic
203	ULT	B332PUNVHE-B	T8	PS	Electronic
204	ULT	B432PUNVHE-B	T8	PS	Electronic
205	ULT	B232I277RH	T8	PS	Electronic
206	ULT	B332IUNVHP-N	T8	PS	Electronic
207	ULT	B432IUNVHP-N	T8	PS	Electronic
208	ULT	B132IUNVHP-A	T8	PS	Electronic
209	ULT	B232IUNVHP-A	T8	PS	Electronic
210	ULT	B132PUNVHE-B	T8	PS	Electronic
211	ULT	B232PUNVHE-B	T8	PS	Electronic
212	ULT	B332PUNVHE-B	T8	PS	Electronic
213	ULT	B432PUNVHE-B	T8	PS	Electronic
214	ULT	B132PUNVHE-A	T8	PS	Electronic
215	ULT	B232PUNVHE-A	T8	PS	Electronic
216	ULT	B332PUNVHE-A	T8	PS	Electronic
217	ULT	B432PUNVHE-A	T8	PS	Electronic
218	ULT	B432IUNVEL-A	T8	PS	Electronic
219	ULT	B232PUNVHEH-A	T8	PS	Electronic
220	ULT	B332PUNVHEH-A	T8	RS	Electronic
221	ULT	B232PUNVEL-B	T8	RS	Electronic
222	ULT	B332PUNVEL-B	T8	RS	Electronic
223	ULT	B234SR 120M-A	T12	RS	Electronic

T8 8ft LED Linear Lamp: Replaces 8FT T8/12 Lamps

Feit Electric Models:

- * [T96/841/LED](#)
- * [T96/841/LED/RP](#)

	Manufacturer	Model	Type	Start	Construction
1	GE	GE260IS-MV-N	T12	IS	Electronic
2	GE	GE286MAXP-HO-N	T12	IS	Electronic
3	GE	GE259MAX-G-N	T8	IS	Electronic
4	Howard Industries	EP275IS/MV/SC	T12	IS	Electronic
5	Howard Industries	E275IS-120MC	T12	IS	Electronic
6	Howard Industries	EP259IS/MV/SC	T8	IS	Electronic
7	Keystone	LTED-275-1-TP-PIC-SL	T12	IS	Electronic
8	Motorola	M2-IL-T8-8FT-120	T8	IS	Electronic
9	Philips Advance	VEL-2P75	T12	IS	Electronic
10	Philips Advance	ICN-2P60-SC	T12	IS	Electronic
11	Sylvania	QTP 2x6T12/UNV IS	T12	IS	Electronic
12	Sylvania	QTP 2x59T8/UNV ISN-SC	T8	IS	Electronic
13	Sylvania	QHE 2x59T8/UNV ISN-SC	T8	IS	Electronic
14	ULT	B260I120M-A	T12	IS	Electronic
15	ULT	B260IUNVHP	T12	IS	Electronic
16	ULT	B259IUNVHP-A	T8	IS	Electronic

	Manufacturer	Model	Type	Start	Construction
1	Howard	M175IS-277	T12	RS	Magnetic
2	Magnetek	827-SLH-TC-P	T12	RS	Magnetic
3	Philips Advance	V2E-75-S-2-TP	T12	RS	Magnetic
4	ULT	806-SLH-TC-TP	T12	RS	Magnetic

- * [T96/840/AB/LED](#)

	Manufacturer	Model	Type	Start	Construction
1	GE	GE260IS-MV-N	T12	IS	Electronic
2	GE	GE286MAXP-HO-N	T12	IS	Electronic
3	GE	GE259MAX-G-N	T8	IS	Electronic
4	Howard Industries	EP275IS/MV/SC	T12	IS	Electronic
5	Howard Industries	E275IS-120MC	T12	IS	Electronic
6	Howard Industries	EP259IS/MV/SC	T8	IS	Electronic
7	Keystone	LTED-275-1-TP-PIC-SL	T12	IS	Electronic
8	Motorola	M2-IL-T8-8FT-120	T8	IS	Electronic
9	Philips Advance	VEL-2P75	T12	IS	Electronic
10	Philips Advance	ICN-2P60-SC	T12	IS	Electronic
11	Sylvania	QTP 2x6T12/UNV IS	T12	IS	Electronic
12	Sylvania	QTP 2x59T8/UNV ISN-SC	T8	IS	Electronic
13	Sylvania	QHE 2x59T8/UNV ISN-SC	T8	IS	Electronic
14	ULT	B260I120M-A	T12	IS	Electronic
15	ULT	B260IUNVHP	T12	IS	Electronic
16	ULT	B259IUNVHP-A	T8	IS	Electronic

4FT T12 LED LINEAR Lamp: Replaces 4ft T12 Lamps

Feit Electric Models:

- * [T1248/830/LEDG2/2](#)
- * [T1248/840/LEDG2/2](#)
- * [T1248/850/LEDG2/2](#)
- * [T1248/840/LEDG2/10](#)

Do not use with pre-heat fixtures that require an external starter.

	Manufacturer	Model	Type	Start	Construction
--	--------------	-------	------	-------	--------------

Incompatible Ballasts

1	Philips Advance	R-2540-1-TP	T12	RS	Magnetic
2	GE	GEM240RS120	T12	RS	Magnetic
3	Howard Industries	EP2/110RS/MV/SC	T12	RS	Magnetic
3	Philips	ICN-2540-N	T12	RS	Magnetic

All Preheat Ballasts with External Starter			T12	Pre-Heat	Magnetic
1	Radionic	E2324X-120M	T12	RS	Magnetic
2	Universal	443-LR-VLH-TC-P	T12	RS	Magnetic

T8 4ft TYPE A+B DOUBLE END LED LINEAR LAMP: Replaces 4ft T8 Lamps

Feit Electric Models:

- * [T4815/840/AB/LED/10](#)
- * [T4815/850/AB/LED/10](#)

	Manufacturer	Model	Type	Start	Construction
1	GE	GE-132-MAX-L/ultra	T8	IS	Electronic
2	GE	GE-232-MV-N-42T	T8	IS	Electronic
3	GE	GE232MAX-G-N-DIYB	T8	IS	Electronic
4	GE	GE232MAX-N-Ultra	T8	IS	Electronic
5	GE	GE232MV-N-DIY	T8	IS	Electronic
6	GE	GE232MAX-H/ultra	T8	IS	Electronic
7	GE	GE232MAXP-H/ultra	T8	IS	Electronic
8	GE	GE-232-MVPS-H	T8	IS	Electronic
9	GE	GE232MAX-L/ultra	T8	IS	Electronic
10	GE	GE332MV-N-DIY	T8	IS	Electronic
11	GE	GE332MAX-L/ultra	T8	IS	Electronic
12	GE	GE332MAX-G-N	T8	IS	Electronic
13	GE	GE332MAX-G-N-DIYB	T8	IS	Electronic
14	GE	GE432MAX-G-N	T8	IS	Electronic
15	GE	GE432-MVPS-N	T8	IS	Electronic
16	GE	GE432MAX-H/ULTRA	T8	IS	Electronic
17	GE	GE432MAX-H-42T	T8	IS	Electronic
18	GE	GE432MAX-N/ULTRA	T8	IS	Electronic
19	GE	GE-432-MV-N-42T	T8	IS	Electronic
20	GE	GE432-120RES-DIY	T8	IS	Electronic
21	GE	GE432-120RES-DIYB	T8	IS	Electronic
22	GE	GE432MAXP90-S60	T8	IS	Electronic
23	Howard Industries	EP2/32S/MV/MC/HE	T8	IS	Electronic
24	Howard Industries	EP3/32S/MV/MC/HE	T8	IS	Electronic
25	Howard Industries	EP4/32S/MV/MC/HE	T8	IS	Electronic
26	Keystone	KTEB-232RIS-1-TP-SL	T8	IS	Electronic
27	Keystone	KTEB-432-UV-IS-N-P	T8	IS	Electronic
28	Osram Sylvania	QHE 1X32T8/UNV ISN-SC	T8	IS	Electronic
29	Osram Sylvania	QTP 1X32T8/UNV ISL-SC	T8	IS	Electronic
30	Osram Sylvania	QTP 2X32T8/UNV ISN-SC	T8	IS	Electronic
31	Osram Sylvania	QHE 2X32T8/UNV ISN-SC	T8	IS	Electronic
32	Osram Sylvania	QHE 3X32T8/UNV ISL-SC	T8	IS	Electronic
33	Osram Sylvania	QHE 3X32T8/UNV ISN-SC-1	T8	IS	Electronic
34	Osram Sylvania	QTP 3X32T8/UNV ISN-SC	T8	IS	Electronic
35	Osram Sylvania	QTP 4X32T8/UNV ISN-SC	T8	IS	Electronic
36	Osram Sylvania	QHE 3X32T8/UNV ISN-SC	T8	IS	Electronic
37	Osram Sylvania	QHE 4X32T8/UNV ISL-SC	T8	IS	Electronic
38	Philips Advance	ICN-1P32-N	T8	IS	Electronic
39	Philips Advance	ICN-2P32-SC	T8	IS	Electronic
40	Philips Advance	ICN-2P32-SC	T8	IS	Electronic
41	Philips Advance	ICN-3P32-N	T8	IS	Electronic
42	Philips Advance	ICN-4P32-SC	T8	IS	Electronic
43	Philips Advance	ICN-4P32-N	T8	IS	Electronic
44	Philips Advance	IOJA-4P32-N	T8	IS	Electronic
45	Philips Advance	IOP-4P32-N	T8	IS	Electronic
46	Standard	E232T8IS10/N/AS/BULK	T8	IS	Electronic
47	Standard	E432T8IS10/N/AS/BULK	T8	IS	Electronic
48	Sunpark	U-2/32ISE	T8	IS	Electronic
49	Sunpark	U-3/32ISE	T8	IS	Electronic
50	Sunpark	U-3/32ISE-LVF	T8	IS	Electronic
51	Universal	B232IUNVHP-B	T8	IS	Electronic
52	Universal	B232IUNVHP-N	T8	IS	Electronic
53	Universal	B332IUNVHP-A	T8	IS	Electronic
54	Universal	B432IUNVHP-A	T8	IS	Electronic
55	Universal	B432IUNVHE-A	T8	IS	Electronic
56	Robertstone	ISA259T8MV	T8	IS	Electronic

T8 4ft LED Linear Lamp: Replaces 4FT T8 Lamps

Feit Electric Models:

- * [T848/830/LEDG2/2](#)
- * [T848/840/LEDG2/2](#)
- * [T848/850/LEDG2/2](#)
- * [T848/840/LEDG2/10](#)

Do not use with pre-heat fixtures that require an external starter.

Incompatible Ballasts

All Preheat Ballasts with External Starter			T12	Pre-Heat	Magnetic
1	Radionic	E2324X-120M	T12	RS	Magnetic
2	Universal	443-LR-VLH-TC-P	T12	RS	Magnetic

	Manufacturer	Model	Type	Start	Construction
1	GE	GE-132-MAX-L/ultra	T8	IS	Electronic
2	GE	GE-232-MV-N-42T	T8	IS	Electronic
3	GE	GE232MAX-G-N-DIYB	T8	IS	Electronic
4	GE	GE232MAX-N-Ultra	T8	IS	Electronic
5	GE	GE232MV-N-DIY	T8	IS	Electronic
6	GE	GE232MAX-H/ultra	T8	IS	Electronic
7	GE	GE232MAXP-H/ultra	T8	IS	Electronic
8	GE	GE-232-MVPS-H	T8	IS	Electronic
9	GE	GE232MAX-L/ultra	T8	IS	Electronic
10	GE	GE332MV-N-DIY	T8	IS	Electronic
11	GE	GE332MAX-L/ultra	T8	IS	Electronic
12	GE	GE332MAX-G-N	T8	IS	Electronic
13	GE	GE332MAX-G-N-DIYB	T8	IS	Electronic
14	GE	GE432MAX-G-N	T8	IS	Electronic
15	GE	GE432-MVPS-N	T8	IS	Electronic
16	GE	GE432MAX-H/ULTRA	T8	IS	Electronic
17	GE	GE432MAX-H-42T	T8	IS	Electronic
18	GE	GE432MAX-N/ULTRA	T8	IS	Electronic
19	GE	GE-432-MV-N-42T	T8	IS	Electronic
20	GE	GE432-120RES-DIY	T8	IS	Electronic
21	GE	GE432-120RES-DIYB	T8	IS	Electronic
22	GE	GE432MAXP90-S60	T8	IS	Electronic
23	Howard Industries	EP2/32S/MV/MC/HE	T8	IS	Electronic
24	Howard Industries	EP3/32S/MV/MC/HE	T8	IS	Electronic
25	Howard Industries	EP4/32S/MV/MC/HE	T8	IS	Electronic
26	Keystone	KTEB-232RIS-1-TP-SL	T8	IS	Electronic
27	Keystone	KTEB-432-UV-IS-N-P	T8	IS	Electronic
28	Osram Sylvania	QHE 1X32T8/UNV ISN-SC	T8	IS	Electronic
29	Osram Sylvania	QTP 1X32T8/UNV ISL-SC	T8	IS	Electronic
30	Osram Sylvania	QTP 2X32T8/UNV ISN-SC	T8	IS	Electronic
31	Osram Sylvania	QHE 2X32T8/UNV ISN-SC	T8	IS	Electronic
32	Osram Sylvania	QHE 3X32T8/UNV ISL-SC	T8	IS	Electronic
33	Osram Sylvania	QHE 3X32T8/UNV ISN-SC-1	T8	IS	Electronic
34	Osram Sylvania	QTP 3X32T8/UNV ISN-SC	T8	IS	Electronic
35	Osram Sylvania	QTP 4X32T8/UNV ISN-SC	T8	IS	Electronic
36	Osram Sylvania	QHE 3X32T8/UNV ISN-SC	T8	IS	Electronic
37	Osram Sylvania	QHE 4X32T8/UNV ISL-SC	T8	IS	Electronic
38	Philips Advance	ICN-1P32-N	T8	IS	Electronic
39	Philips Advance	ICN-2P32-SC	T8	IS	Electronic
40	Philips Advance	ICN-2P32-SC	T8	IS	Electronic
41	Philips Advance	ICN-3P32-N	T8	IS	Electronic
42	Philips Advance	ICN-4P32-SC	T8	IS	Electronic
43	Philips Advance	ICN-4P32-N	T8	IS	Electronic
44	Philips Advance	IOJA-4P32-N	T8	IS	Electronic
45	Philips Advance	IOP-4P32-N	T8	IS	Electronic

46	Standard	E232T8IS10N/AS/BULK	T8	IS	Electronic
47	Standard	E432T8IS10N/AS/BULK	T8	IS	Electronic
48	Sunpark	U-2/32ISE	T8	IS	Electronic
49	Sunpark	U-3/32ISE	T8	IS	Electronic
50	Sunpark	U-3/32ISE-LVF	T8	IS	Electronic
51	Universal	B232IUNVHP-B	T8	IS	Electronic
52	Universal	B232IUNVHP-N	T8	IS	Electronic
53	Universal	B332IUNVHP-A	T8	IS	Electronic
54	Universal	B432IUNVHP-A	T8	IS	Electronic
55	Universal	B432IUNVHE-A	T8	IS	Electronic
56	Robertstone	ISA259T8MV	T8	IS	Electronic

T8 4ft LED Linear Lamp: Replaces 4FT T8/12 Lamps

Feit Electric Models:

* [T848/3DIM/LEDI](#)

Do not use with pre-heat fixtures that require an external starter.

	Manufacturer	Model	Type	Start	Construction
1	Hatch	HL432RIS-12-W	T8	Instant	Electronic
2	Advance	IOPA-2P32-N	T8	Instant	Electronic
3	Ultramax	GE332MAX-N-ULTRA	T8	Instant	Electronic
4	Osram Sylvania	QHE 1x32T8/UNV ISN-SC	T8	Instant	Electronic
5	Philips Advance	REB-4P32-SC	T8	Instant	Electronic
6	Advance	ICN-2P-32-SC	T8	Instant	Electronic
7	Proline	GE432MV-N-DIY	T8	Instant	Electronic
8	Motorola	M3-RN-T8-1LL-277	T8	Instant	Electronic
9	Keystone	KTEB-240-1-TP/E	T8	Instant	Electronic
10	Philips Advance	ICN-2P32-N	T8	Instant	Electronic
11	Pacific Ballast	EB-232IS-120-RES	T8	Instant	Electronic
12	PES	PES120ET8-12SMT	T8	Instant	Electronic
13	GE	GE 132MAX-N-ULTRA	T8	Instant	Electronic
14	Philips Advance	ICN-2540-N	T8	Instant	Electronic
15	Proline	AP-332IP-UNV	T8	Instant	Electronic
16	Proline	GEA32-120RES-DIY	T8	Instant	Electronic
17	Triad	B421120RH-A	T8	Instant	Electronic

	Manufacturer	Model	Type	Start	Construction
1	Advance	R-2540-1-TP	T12	RS	Magnetic
2	Howard	E4/32IS-120	T12	RS	Magnetic
3	Sylvania	QT-4X32/120IS	T12	RS	Magnetic
4	Val-Miser	8G1024W	T12	RS	Magnetic

Incompatible Ballasts

All Preheat Ballasts with External Starter			T12	Pre-Heat	Magnetic
1	Radionic	E2324X-120M	T12	RS	Magnetic
2	Universal	443-LR-VLH-TC-P	T12	RS	Magnetic

T8 4ft LED Linear Lamp: Replaces 4FT T8/12 Lamps

Feit Electric Models:

* [T848/4WY/LEDI](#)

Do not use with pre-heat fixtures that require an external starter.

	Manufacturer	Model	Type	Start	Construction
1	Hatch	HL432RIS-12-W	T8	Instant	Electronic
2	Advance	IOPA-2P32-N	T8	Instant	Electronic
3	Ultramax	GE332MAX-N-ULTRA	T8	Instant	Electronic
4	Osram Sylvania	QHE 1x32T8/UNV ISN-SC	T8	Instant	Electronic
5	Philips Advance	REB-4P32-SC	T8	Instant	Electronic
6	Advance	ICN-2P-32-SC	T8	Instant	Electronic
7	Proline	GE432MV-N-DIY	T8	Instant	Electronic
8	Motorola	M3-RN-T8-1LL-277	T8	Instant	Electronic
9	Keystone	KTEB-240-1-TP/E	T8	Instant	Electronic
10	Philips Advance	ICN-2P32-N	T8	Instant	Electronic
11	Pacific Ballast	EB-232IS-120-RES	T8	Instant	Electronic
12	PES	PES120ET8-12SMT	T8	Instant	Electronic
13	GE	GE 132MAX-N-ULTRA	T8	Instant	Electronic
14	Philips Advance	ICN-2540-N	T8	Instant	Electronic
15	Accupro	AP-332IP-UNV	T8	Instant	Electronic
16	PROLINE	GEA32-120RES-DIY	T8	Instant	Electronic
17	TRIAD	B421120RH-A	T8	Instant	Electronic

Incompatible Ballasts

All Preheat Ballasts with External Starter			T8	Pre-Heat	Magnetic
1	Radionic	E2324X-120M	T12	RS	Magnetic
2	Universal	443-LR-VLH-TC-P	T12	RS	Magnetic

T9 FC8 LED CIRCULAR 4PIN : Replaces FC8 T9 lamps

Feit Electric Models:

* [FC8/840/LED](#)

* [FC8/3CCT/LED](#)

* [FC9/3CCT/LED](#)

	Manufacturer	Model	Type	Start
1	Keystone	KTEB-1C22-1-TP-WS	T9	RS
2	Keystone	KTEB-2C72-1-TP-WS	T9	RS
3	Keystone	SS22WSTP	T9	Pre Heat
4	Radiant	RCB54	T9	
5	Robertson	SSN2PWS	T9	Pre Heat
6	Robertson	RSW3240C120WS	T9	Pre Heat
7	Sunpark	SL15T-1	T9	Electronic

T9 FC12 LED CIRCULAR 4PIN : Replaces FC12 T9 lamps

Feit Electric Models:

* [FC12/840/LED](#)

* [FC12/3CCT/LED](#)

	Manufacturer	Model	Type	Start
1	Keystone	KTEB-1C3032-1-TP-WS	T9	RS
2	Radiant	RCB32	T9	
3	Sunpark	SL26T	T9	Electronic
4	Keystone	KTEB-2C72-1-TP-WS	T9	RS
5	Robertson	RSW3240C120WS	T9	Pre Heat
6	Sunpark	SL15T-1	T9	Electronic
7	Radiant	RCB54	T9	
8	Philips Advance	RS-22-32-TP-W	T9	RS

T8 2ft U-BEND TYPE A+B LED LINEAR : Replaces 2ft U-Bend T8 Lamps

Feit Electric Models:

* [T848/840/AB/U6/LED](#)

Do not use with pre-heat fixtures that require an external starter.
Not compatible with T12 lamps and ballasts

Manufacturer	Model	Type	Start	Construction
--------------	-------	------	-------	--------------

Manufacturer	Model	Type
--------------	-------	------

1	Arcata	ACT2P32ISUNV	T8	IS	Electronic
2	Arcata	ACT4P32ISUNV	T8	IS	Electronic
3	Arcata	ACT2P32IS347	T8	IS	Electronic
4	Arcata	ACT4P32IS347	T8	IS	Electronic
5	Espen	VE232MVHHPHE	T8	IS	Electronic
6	Espen	VE232MVHHPLE	T8	IS	Electronic
7	Espen	VE432MVHHP	T8	IS	Electronic
8	Espen	VE432MVHHPHE	T8	IS	Electronic
9	Fulham	NPY-120-432-T8B	T8	IS	Electronic
10	Fulham	NPY-120-432-T8IS	T8	IS	Electronic
11	Fulham	WHCG3-120-T8-IS	T8	IS	Electronic
12	Fulham	WH2-120-L	T8	IS	Electronic
13	Fulham	WH5-120-L	T8	IS	Electronic
14	Fusion	FB232MVE	T8	IS	Electronic
15	Fusion	FB232MVE-N	T8	IS	Electronic
16	Fusion	FB232MVE-HE	T8	IS	Electronic
17	Fusion	FB232MVE-LHE	T8	IS	Electronic
18	Fusion	FB232MVE-PPS-HE	T8	IS	Electronic
20	Fusion	FB323MVE	T8	IS	Electronic
21	Fusion	FB432MVE	T8	IS	Electronic
22	Fusion	FB432MVE-HE	T8	IS	Electronic
23	Fusion	FB432MVE-N	T8	IS	Electronic
24	Fusion	FB432MVE-PPS-HE	T8	IS	Electronic
25	Fusion	FB232347E-HE	T8	IS	Electronic
26	Fusion	FB232347E-L	T8	IS	Electronic
27	Fusion	FB232347E-N	T8	IS	Electronic
28	Fusion	FB232347E-PPS-HE	T8	IS	Electronic
29	Fusion	FB432347E-HE	T8	PS	Electronic
30	Fusion	FB432347E-L	T8	IS	Electronic
31	Fusion	FB432347E-N	T8	IS	Electronic
32	Fusion	FB432347E-PPS-HE	T8	IS	Electronic
33	GE	GE 232-120-PS-N	T8	IS	Electronic
34	GE	GE232MAXP-NULTRA	T8	PS	Electronic
35	GE	GE232MAXP-HULTRA	T8	PS	Electronic
36	GE	GE232-MVPS-L	T8	IS	Electronic
37	GE	GE232-MVPS-H	T8	IS	Electronic
38	GE	GE332MAX-L/ULTRA	T8	PS	Electronic
39	GE	GE332MAX90-V60	T8	PS	Electronic
40	GE	GE332MV-N-DIY	T8	IS	Electronic
41	GE	GE432-120-N	T8	IS	Electronic
42	GE	GE432MAX-G-N	T8	IS	Electronic
43	GE	GE432MAX-H-42T	T8	IS	Electronic
44	GE	GE432MV-N-DIY	T8	IS	Electronic
45	GE	GE232MAX347-H	T8	IS	Electronic
46	GE	GE232PS347-N	T8	IS	Electronic
47	GE	GE332MAX347-H	T8	IS	Electronic
48	GE	GE432MAX347-H	T8	IS	Electronic
49	GE	GE432PS347-N	T8	IS	Electronic
50	Greenhill	GH4P32ISUNV	T8	IS	Electronic
51	Halco	EP323IS/MV/MC	T8	IS	Electronic
52	Halco	EP432IS/L/MV/HE	T8	IS	Electronic
53	Halco	EP432IS/MV/MC	T8	IS	Electronic
54	Howard Industries	EP432IS/MV/MC/HE	T8	IS	Electronic
55	Hualfeng	ENI-T8-32-P2SC-N	T8	IS	Electronic
56	Hualfeng	ENI-T8-32-P4MC-N	T8	IS	Electronic
57	Keystone	KTEB-132-UV-IS-L-P	T8	IS	Electronic
58	Keystone	KTEB-132-UV-PS-N-P	T8	IS	Electronic
59	Keystone	KTEB-232-UV-IS-L-P	T8	PS	Electronic
60	Keystone	KTEB-232-UV-IS-N-P	T8	IS	Electronic
61	Keystone	KTEB-232-UV-IS-H-P	T8	IS	Electronic
62	Keystone	KTEB-232-UV-PS-VDIM	T8	IS	Electronic
63	Keystone	KTEB-332-UV-IS-L-P	T8	PS	Electronic
64	Keystone	KTEB-332-UV-IS-N-P	T8	PS	Electronic
65	Keystone	KTEB-332-UV-IS-H-P	T8	IS	Electronic
66	Keystone	KTEB-332-UV-PS-L-P	T8	IS	Electronic
67	Keystone	KTEB-332-UV-PS-N-P	T8	IS	Electronic
68	Keystone	KTEB-432-UV-IS-L-P	T8	PS	Electronic
69	Keystone	KTEB-432-UV-IS-N-P	T8	PS	Electronic
70	Keystone	KTEB-432-UV-IS-H-P	T8	PS	Electronic
71	Keystone	KTEB-432-UV-PS-L-P	T8	IS	Electronic
72	Keystone	KTEB-432-UV-PS-N-P	T8	IS	Electronic
73	Keystone	KTEB-232-3-IS-N-P	T8	IS	Electronic
74	Keystone	KTEB-432-3-IS-N-P	T8	IS	Electronic
75	Osram Sylvania	QHE 2x32T8/UNV DIM-T8	T8	IS	Electronic
76	Osram Sylvania	QTP 4x32T8/UNV ISN-SC	T8	IS	Electronic
77	Osram Sylvania	QHE 2x32 T8/347 ISL-SC	T8	IS	Electronic
78	Osram Sylvania	QHE 2x32 T8/347 ISN-SC	T8	PS	Electronic
79	Pacific	EB-332IS-U	T8	IS	Electronic
80	Pacific	EB-432IS-U	T8	IS	Electronic
81	Philips Advance	ICN-2P32-N	T8	IS	Electronic
82	Philips Advance	ICN-3P32-N	T8	PS	Electronic
83	Philips Advance	ICN-4P32-N	T8	IS	Electronic
84	Philips Advance	ICN-2P32-SC	T8	IS	Electronic
85	Philips Advance	ICN-4P32-SC	T8	IS	Electronic
86	Philips Advance	IOPA-1P32-N	T8	IS	Electronic
87	Philips Advance	IOPA-2P32-N	T8	IS	Electronic
88	Philips Advance	IOPA-3P32-N	T8	IS	Electronic
89	Philips Advance	IOPA-1P32-LW-N	T8	IS	Electronic
90	Philips Advance	IOPA-2P32-LW-N	T8	IS	Electronic
91	Philips Advance	IOPA-4P32-LW-N	T8	IS	Electronic
92	Philips Advance	REL-2P32-SC	T8	IS	Electronic
93	Philips Advance	GOPA-2P32-LW-SC	T8	PS	Electronic
94	Philips Advance	GOPA-4P32-LW-SC	T8	IS	Electronic
95	Philips Advance	GOPA-2P32-SC	T8	IS	Electronic
96	Philips Advance	GOPA-4P32-SC	T8	IS	Electronic
97	PQL	70201	T8	PS	Electronic
98	PQL	70204	T8	IS	Electronic
99	Premium	BB-T8/UVH-2x32	T8	PS	Electronic
100	Premium	BB-T8/UVH-3x32	T8	IS	Electronic
101	Robertson	RSW 240T12120	T8	IS	Electronic
102	Standard	E232P1120L	T8	PS	Electronic
103	Standard	E432T8IS120H	T8	IS	Electronic
104	Standard	E432T8IS120N/AS/BULK	T8	IS	Electronic
105	Standard	E232T8IS347L/BULK	T8	IS	Electronic
106	Standard	E232T8IS347N/BULK	T8	IS	Electronic
107	Standard	E432P1347G01	T8	IS	Electronic
108	Standard	E432T8IS347L/BULK	T8	IS	Electronic
109	Standard	E432T8IS347N	T8	IS	Electronic
110	Standard	E432T8IS347N/BULK	T8	IS	Electronic
111	Sunpark	SL15T	T8	IS	Electronic
112	Universal	B432IUNVHP-A	T8	IS	Electronic
113	Universal	B232I347HE-A	T8	IS	Electronic
114	Universal	B432I347HE-A	T8	IS	Electronic

1	Keystone	KT-EMRG-500	Emergency ballast
2	Keystone	KT-EMRG-750-CFL4	Emergency ballast
3	Keystone	KT-EMRG-1300-T5	Emergency ballast
4	Lota	ISL-54	Emergency ballast

Incompatible Ballasts

All Preheat Ballasts with External Starter			T8	Electronic
1	Fulham	NPY-120-232-LT8	T8	Electronic
2	GE	GE-432-MAX-N/ULtra	T8	Electronic
3	Keystone	KTEB-232-UV-PS-H-P	T8	Electronic
4	Keystone	KTEB-332-UV-PS-H-P	T8	Electronic
5	Osram Sylvania	QTP 2x32T8/UNV ISH-SC	T8	Electronic
6	Osram Sylvania	QTP 3x32T8/UNV ISH-SC	T8	Electronic
7	Universal	B232PUSV3PLA	T8	Electronic
8	Universal	B232SR120S30	T8	Electronic
9	Standard	E232T8IS347H/90C	T8	Electronic
10	Standard	E432T8IS347H/90C	T8	Electronic

T5 4FT HO LED LINEAR: Replaces 4FT T5 HO Lamps

Feit Electric Models:

* **T548HO/840/LEDG2**

Manufacturer	Model	Type	Start
1	AC	AC-A254T5XS-W	T5 PS
2	Damar	26947A	T5 PS
3	Espen	VE454M/HRP	T5 PS
4	Fulham	RHA-UNV-254-LT5	T5 PS
5	Fulham	WH5-120-L	T5 PS
6	Fusion	FB254T5MVE	T5 PS
7	Fusion	FB454T5MVE	T5 PS
8	Fusion	FB254347T5E	T5 PS
9	Fusion	FB454347T5E	T5 PS
10	GE	GE254MVPS-D-1	T5 PS
11	GE	GE454MVPS90-F	T5 PS
12	Halco	EP254HO/PS/MV/MC	T5 PS

Incompatible Ballasts

1	Philips Advance	IOP-2PSP54-SC	T5	PS
2	Philips Advance	IOP-4PSP54-2LS-G	T5	PS
3	Fulham	RHA-UNV-454-LT5	T5	PS
4	GE	GE254MVPS-D	T5	PS
5	GE	GE254MVPS90-A	T5	PS
6	HEP	SI 254-58 UNI	T5	PS
7	Osram Sylvania	GT 2x54/120PHO-DIM	T5	PS
8	Philips Advance	HCN-4554-2LS-H	T5	PS
9	GE	GE254PS347/480-F	T5	PS
10	GE	GE454PS347/480-F	T5	PS
11	Osram Sylvania	IE 4x54T5HO/347-480PSN HT S	T5	PS

13	Halco	EP454HO/PS/MV	T5	PS
14	HEP	SD 254-58 UNI	T5	PS
15	Huafeng	ENP-T5-54-S2MC	T5	PS
16	Huafeng	ENP-T5-54-S4LC	T5	PS
17	Keystone	KTEB-254HO-UV-PS/A	T5	PS
18	Keystone	KTEB-254HO-UV-PS-SL	T5	PS
19	Keystone	KTEB-454HO-UV-PS	T5	PS
20	Liyuan	LYEBS812	T5	PS
21	Luma	BLF254-U	T5	PS
22	Lutron	EHDTS54C347210	T5	PS
23	Maxlite	SKEU542HOP/SC	T5	PS
24	Osrarn Sylvania	QHE 2x54T5HO/UNV PSN	T5	PS
25	Osrarn Sylvania	QTP 2x54T5HO/UNV PSN	T5	PS
26	Osrarn Sylvania	QTP 2x54T5HO/UNV PSN HT	T5	PS
27	Osrarn Sylvania	QTP 2x54T5HO/UNV PSN 80-SC	T5	PS
28	Osrarn Sylvania	QHE 4x54T5HO/UNV PSN HT SCL	T5	PS
29	Osrarn Sylvania	QHE 4x54T5HO/UNV PSN HT SCL [DOE]	T5	PS
30	Osrarn Sylvania	QTP 4x54T5HO/UNV PSN HT W	T5	PS
31	Osrarn Sylvania	QHE 2x54T5HO/347-480PSN HT	T5	PS
32	Osrarn Sylvania	QTP 2x54T5HO/347-480 PSN HT	T5	PS
33	Pacific	EB-254PRS-U	T5	PS
34	Philips Advance	EL1254A26	T5	PS
35	Philips Advance	ICN-2S54	T5	PS
36	Philips Advance	ICN-2S54-D	T5	PS
37	Philips Advance	ICN-2S54-N	T5	PS
38	Philips Advance	ICN-2S54-T	T5	PS
39	Philips Advance	ICN-2S54-90C	T5	PS
40	Philips Advance	ICN-2S54-90C-N	T5	PS
41	Philips Advance	IZT-2S54-D	T5	PS
42	Philips Advance	ICN-4S54-90C-2LS-G	T5	PS
43	Philips Advance	ICN-4S54-2LS-H	T5	PS
44	Philips Advance	HCN-2S54-90C-WL	T5	PS
45	Philips Advance	HCN-4S54-90C-2LS-G	T5	PS
46	PQL	70195	T5	PS
47	Roberson	PSL 254T5MV	T5	PS
48	Roberson	PSV 254T5VCD	T5	PS
49	Roberson	PSB454T5MV	T5	PS
50	Standard	E154T5PS120-277/N/HO	T5	PS
51	Standard	E245T5HOPS120-277/N/XTRM	T5	PS
52	Standard	E454T5HOPS120-277/N/XTRM	T5	PS
53	Standard	E254T5HOPS347/N/XTRM	T5	PS
54	Standard	E254T5PS347/N/HO/XTRM	T5	PS
55	Standard	E454T5HOPS347/N/XTRM	T5	PS
56	Sunpark	U-2/54T5HO	T5	PS
57	Symban	SLFE-254 T5HO-120MV-90C	T5	PS
58	Symban	SLFE-454 T5HO-120MV-90C	T5	PS
59	Symban	SLFE-254 T5HO-347V-90C	T5	PS
60	Symban	SLFE-454 T5HO-347V-90C	T5	PS
61	Ultrasave	ER254120MHT-W	T5	PS
62	Ultrasave	ER454120MHT-W	T5	PS
63	Ultrasave	ER254347HT-W	T5	PS
64	Ultrasave	ER454347HT-W	T5	PS
65	Universal	B254PUNVHB-D	T5	PS
66	Universal	B254PUNV-D	T5	PS
67	Universal	B454PUNV-E	T5	PS
68	Universal	B454PUNVHB-E	T5	PS